

Absorbent Dyspeptic	CT	00-4
Acetanilid, 1 gr.	TT	93-----42
Acetanilid, 1 gr., aromatic pink	TT	02-----42
Acetanilid, 2 gr.	TT	02-----42
	CT	00-----14
Acetanilid, 3 gr.	CT	00-----39
Acetanilid, 3 gr., aromatic pink	CT	02-----39
Acetanilid, 4 gr.	CT	00---10
Acetanilid, 5 gr.	CT	00-----42
	CCT	00-----22
Acetanilid and Caffeine Compound, No. 1	CT	00-----42
	CCT	00-----22
Acetanilid Compound, No. 1 (start '31)		
Migraine No. 1		
Acetanilid and Caffeine Compound No. 1, aromatic pink	CT	07-----42
Acetanilid Compound No. 1 (start '31)		
Migraine No. 1		
Acetanilid and Caffeine Compound, No. 2	CT	00-----42
	CCT	00---10
Acetanilid Compound No. 2		
Migraine No. 2		
Acetanilid, Caffeine and Soda (Aulde), RxA, 5 grs.	CT	14-----42
Acetanilid Compound 'Aulde', RxA, 5 grs.		
Acetanilid Compound Aulde No. 2		
White & Pink 14-42;		
Acetanilid, Caffeine, and Soda Compound, No. 1	CT	00-----42
	CCT	00-----20
Acetanilid and Soda Compound, No. 1		
Acetanilid and Sodium Compound, No. 1		
Acetanilid, Caffeine, and Soda Compound, No. 1,		
aromatic pink	CT	07-----42
Acetanilid and Soda Compound, No. 1		
Acetanilid and Sodium Compound, No. 1		
Acetanilid, Caffeine and Soda Compound, No. 2	CT	00-----42
	CCT	00---10
Acetanilid and Soda Compound, No. 2		
Acetanilid and Sodium Compound, No. 2		
Acetanilid Compound (Aulde), RxB	TT	10-----39
Acetanilid Compound Aulde, No. 1		

Aconite Tincture 1-3/4 m.	TT	93-----14	
Aconite Tincture 3-1/2 m.	TT	93-----33	
Aconite Tincture 3-1/2 m.	CCT	00-----14	
Aconite Tincture 7 m.	TT	95-----29	
Aconite and Belladonna No. 1	TT	93-----14	
Aconite and Belladonna No. 2	TT	93-----23	
Aconite-Bichromate Compound	TT	00-----31	
	CCT	00-----29	
Bronchitis RxA			
Bronchitis No. 1			
Aconite-Binioidide Compound, No. 1	TT	18-----46	
Follicular Tonsillitis 'Exempt'			
Follicular Tonsillitis			
Aconite-Binioidide Compound, No. 2	TT	00-----42	
	CCT	00-----23	
Tonsillitis			
Tonsillitis No. 1			
Aconite Binioidide Compound, Improved	CT	01-----37	
Tonsillitis Improved			
Tonsillitis No. 2			
Aconite and Bryonia	TT	00-----23	
Aconite and Bryonia Compound	TT	01-----23	
Aconite-Bryonia Compound	FW	10-----37	
Fever			
Fever No. 6			
Aconite Compound	TT	93-----37	
Sciatica			
Sciatica 'Dr. Metcalf'			
Aconite Compound (Davis)	TT	00-----37	
	CCT	00-----23	
Fever 'Davis'			
Aconite and Gelsemin Compound	TT	93-----23	
Aconite-Salicylate Compound	FW	10-----37	
Follicular Tonsillitis			
Follicular Tonsillitis No. 7			

Aconitine Crystals, 1/500 gr.	TT	00-----23
Aconitine Crystals, 1/200 gr.	TT	00-----31
Aconitine Crystals, 1/100 gr.	TT	00-----23
Aconitine Crystals, 1/50 gr.	TT	00-----14
Agaricin Compound, purple	CCT	07-----37
Alkaline	CT	00-4
Alkaline Effervescent	ET	37-----50
Alkaline Aromatic 'Seiler', white or pink	CT	97-----50
Alkaline Aromatic (MT to '28)		
Aloin, 1/100 gr.	TT	00-----14
Aloin, 1/10 gr.	TT	95-----18
	CCT	00-----14
Aloin, 1/5 gr.	TT	95 only
Aloin, 1/4 gr.	TT	95-----22
	CCT	00-----14
Aloin, 1/2 gr.	TT	00-----14
	CCT	14-----31
Aloin, 1 gr.	TT	00-----17
Aloin, Belladonna, Cascara and Podophyllin (Hinkle)	CCT	22-----50
Cascara Compound 'Hinkle'		
Cascara Compound 'Hinkle' without Strychnine		
Pink 22-50; Brown 22-48; Red 33-46;		
Yellow, Violet & Blue 33-48		
Aloin, Belladonna, Cascara and Podophyllin (Hinkle)		
with Strychnine Sulfate	CCT	00-----48
Cascara Compound 'Hinkle'		
Cascara Compound 'Hinkle' with Strychnine Sulfate		
Brown 00-42; Pink 02-48;		
Red and Violet 07-39; Yellow and Blue 07-42;		
Aloin, Belladonna and Nux Vomica	TT	95-----14
	CCT	00-----23
Aloin, Belladonna and Podophyllin	TT	95-----23
	CCT	00-----29
Aloin, Belladonna, Podophyllin and Nux Vomica	TT	95-----23
	CCT	00-----28
	CCT	00-----39
Aloin and Cascara Compound, No. 1		
Aloin and Cascara Compound, Dr. Duncan, No. 1		
Aloin, Cascara, and Podophyllin Compound, Dr. Duncan	CCT	00-----42
Aloin and Cascara Compound, No. 2		

Aloin and Podophyllin	TT	00-----23
	CCT	00-----33
Aloin, Strychnine and Belladonna No. 1	TT	95-----23
	CCT	00-----42
Aloin, Strychnine, and Belladonna, RxA		
Aloin, Strychnine, and Belladonna No. 2		
Pink 07-29		
Aloin, Strychnine and Belladonna, No. 2	TT	95-----20
	CCT	00-----39
Aloin, Strychnine and Belladonna, RxB		
Aloin, Strychnine and Belladonna, No. 1		
Aloin, Strychnine, Belladonna and Cascara, No. 1	TT	00-----33
	CCT	00-----42
	CCT	00-----46
Aloin, Strychnine, Belladonna and Cascara, No. 2	TT	95-----37
Aloin, Strychnine, Belladonna and Ipecac	CCT	00-----42
	CCT	04-----31
Alterative		
Alterative Tonic		
Brown 04-31; Pink 09-29		
Alterative Tonic	CCT	04-8
Alum 1/10 gr.	TT	00---10
Alum 1/5 gr.	TT	00----14
Alum-Boric Acid Compound Special	CT	01-----37
Leucorrhea Compound 'Special'		
Leucorrhea Compound		
(Pumpkin-Seed Shape)		
Alum Compound for Injection	CT	00-----18
Alum Compound No. 2	CT	01---10
Aluminum Hydroxide 10 gr.	CT	-----44-8
Amino Acetic Acid 15 gr.	CT	-----42 only
Aminopyrine, 1 gr., aromatic yellow	CT	-----31-----48
Aminopyrine, 5 gr.	CT	-----31-----50
Aminopyrine and Phenobarbital Compound	CT	-----31-----50
Phenamidol		
Ammonium Acid Phosphate 7½ gr.	CT	-----42 only
Ammonium Chloride, 1/10 gr.	TT	00-----23
Ammonium Chloride, 1/2 gr.	TT	00----14
Ammonium Chloride, 1 gr.	TT	00-----42
Ammonium Chloride, 3 gr.	CT	00-----39
Ammonium Chloride, 5 gr.	CT	00-----44
Ammonium Chloride, 7½ gr.	ICT	-----37-----50
Ammonium Chloride Compound	TT	00-----39

Ammonium Chloride Compound with Codeine	TT	00	37
Ammonium Chloride Compound with Diacetylmorphine	TT	04	23
Ammonium Chloride Compound with Heroin			
Ammonium Chloride with Hyoscyamus Compound	TT	00	37
Ammonium Salicylate Compound	CT	00	22
Ammonium Salicylate and Acetanilid Compound	CCT	01	17
Anachloric A	CT	25	50
Bismuth Subcarbonate, Magnesia & Sodium Bicarbonate			
Anachloric B	CT	25	50
Bismuth Subcarbonate and Magnesia			
Anachloric C	CT	25	50
Bismuth and Sodium Bicarbonate			
Anachloric D	CT	25	50
Magnesia and Sodium Bicarbonate			
Anachloric E	CT	28	50
Anachloric F	CT	29	50
Anachloric G	CT	29	50
Analgesic	CT	00	29
Anemia	CCT	00	18
Anemia Improved (Dr. Morton)	CCT	01	25
Anise Oil 1/50 gr.	TT	00	14
Anodyne 1/4 gr.	TT	93	14
Anodyne 2 gr.	CT	00	14
	CCT	00	20
Anodyne No. 4 (Dr. Loving)	TT	02	20
Anodyne for Infants No. 1	FW	10	22
Anodyne for Infants No. 2	FW	16	31
Anodyne for Infants (Exempt)	TT	18	37
Anodyne for Infants No. 3			
Anodyne for Infants (Waugh)	TT	00	37
Antacid	CT	01	44
Anti-asthmatic (Dr. Stevens)	CT	01	20
Anti-Cold No. 2	TT	04	20
Anti-Dyspeptic (Fothergill) Improved	CT	00	23
	CCT	00	23
Anti-Fermentative	CCT	01	37
Salicylate-Ginger Compound			
Anti-Lithic (Dr. Hewish)	CT	00	23
Anti-Malarial	CT	00	25-8
	CCT	00	23
Antimony and Ipecac (Dr. Fowler)	CT	93	09

Anti-neuralgic (Dr. Arthur) _____
 Anti-rheumatic Effervescing _____
 Antiseptic Alkaline _____
 Anti-Syphilitic No. 1 _____
 Anti-Syphilitic No. 2 _____
 Aperient _____
 Aperient (DaCosta) _____
 Apomorphine Hydrochloride 1/100 gr. _____
 Arsenous Acid 1/1000 gr. _____
 Arsenous Acid 1/500 gr. _____
 Arsenous Acid 1/200 gr. _____
 Arsenous Acid 1/150 gr. _____
 Arsenous Acid 1/120 gr. _____
 Arsenous Acid 1/100 gr. _____
 Arsenous Acid 1/60 gr. _____
 Arsenous Acid 1/50 gr. _____

 Arsenous Acid 1/40 gr. _____
 Arsenous Acid 1/32 gr. _____
 Arsenous Acid 1/30 gr. _____

 Arsenous Acid 1/20 gr. _____

 Arsenous Acid 1/10 gr. _____
 Arsenic Bromide 1/200 gr. _____
 Arsenic Bromide 1/100 gr. _____
 Arsenic Bromide 1/60 gr. _____
 Arsenic Bromide 1/50 gr. _____
 Arsenic Bromide 1/40 gr. _____
 Arsenic Bromide 1/20 gr. _____
 Arsenous Iodide 1/1000 gr. _____
 Arsenous Iodide 1/35 gr. _____
 Arsenous Iodide 1/20 gr. _____
 Arsenic Sulfide 1/1000 gr. _____
 Arsenic Sulfide 1/100 gr. _____

 Arsenic Sulfide 1/50 gr. _____

 Arsenic Sulfide 1/40 gr. _____

CT _____01--09
 ET _____00--09
 MT _____97-----14
 TT _____01-----23
 TT _____01-----14
 CCT _____00--09
 CT _____01-----14
 TT _____93-----20
 TT _____93-----10
 TT _____93-----14
 TT _____93-----10
 TT _____00-----14
 TT _____00-----23
 TT _____93-----39
 TT _____93-----23
 TT _____93-----39
 CCT _____00-----14
 TT _____93-----23
 TT _____94-----14
 TT _____93-----39
 CCT _____00-----14
 TT _____93-----23
 CCT _____00-----23
 TT _____93-----23
 TT _____00-----14
 TT _____93-----23
 TT _____00-----23
 TT _____00-----10
 TT _____93-----14
 TT _____00-----23
 TT _____93-----25
 TT _____00-----23
 TT _____00-----31
 TT _____00-----10
 TT _____93-----10
 CCT _____00-----14
 TT _____93-----23
 CCT _____00-----23
 TT _____93-----14

Arsenic Sulfide, 1/30 gr. _____

 Arsenic and Strychnine _____
 Asafetida, 1 gr. _____
 Asafetida, 2 gr. _____
 Asafetida, 3 gr. _____
 Asafetida, 4 gr. _____
 Asafetida, 5 gr. _____
 Asafetida, Cascara and Nux Vomica Compound, Yellow _____
 Asafetida, Cascara and Nux Vomica Compound
 (Sullivan)
 Asafetida-Cascara Compound, Sullivan
 Flatulence (Sullivan)
 Asafetida and Nux Vomica _____
 Asafetida, Nux Vomica and Zinc Phosphide Compound,
 RxB red _____
 Asafetida and Iron Bromide Compound
 Nerve Tonic
 Ascorbic Acid, 15 mg. _____
 Ascorbic Acid, 25 mg. _____
 Ascorbic Acid, 50 mg. _____
 Ascorbic Acid, 100 mg. _____
 Ascorbic Acid, 250 mg. _____
 Cevitamic Acid
 Aspirin, Phenacetin & Caffeine, Orange _____
 Astringent Wash _____
 Atro-Ergot Compound _____
 Atro-Ergotin Compound
 Atropine Sulfate, 1/1000 gr. _____
 Atropine Sulfate, 1/500 gr. _____
 Atropine Sulfate, 1/200 gr. _____
 Atropine Sulfate, 1/150 gr. _____
 Atropine Sulfate, 1/120 gr. _____
 Atropine Sulfate, 1/100 gr. _____

 Atropine Sulfate, 1/50 gr. _____

TT —93—42
 CCT —00—23
 TT —94—42
 CCT —00—14
 CCT —00—33
 CCT —00—42
 CCT —00—14
 CCT —00—50
 CCT —14—50
 CCT —00—33
 CCT —04—42
 CT —42-8
 CT —42-50
 CT —42-50
 CT —42-50
 CT —46-50
 CT —44-50 U
 CT —00—20
 FW —31—42
 TT —94—10 31—50
 TT —94—10
 TT —00—44
 TT —94—49
 TT —00—14
 TT —00—44
 CCT —00—14
 TT —00—10

Bacitroche 1000 Units	ML	49-50
Baptisia Tincture, 1 m.	TT	00---10
Barbital 2 $\frac{1}{2}$ gr.	CT	29-----44
Barbital 5 gr.	CT	22-----50
Belladonna Leaves Extract 1/8 gr.	TT	00-----44
Belladonna Leaves Extract 1/4 gr.	TT	00---10
Belladonna Leaves FE 1/4 m.	TT	00-----20
Belladonna Leaves FE 1/2 m.	TT	95-----23
Belladonna Leaves FE 1 m.	TT	93-----23
	CCT	00-----14
Belladonna Leaves Tc 3/4 m.	TT	93-----14
Belladonna Leaves Tc 1 $\frac{1}{2}$ m.	TT	93-----23
Belladonna Leaves Tc 3 m.	TT	95-----23
Belladonna Leaves Tc 5 m.	TT	00--09
Benzoic Acid, 1/50 gr.	TT	00-----14
Benzoic Acid, 1/10 gr.	TT	95-----18
Benzoic Acid, 1/4 gr.	TT	95-----14
Benzoic Acid, 1/2 gr.	TT	93-----23
Benzoic Acid, 1 gr.	TT	95 only
Betascorbate, yellow	CCT	42--50
Bile Salts-Phenolphthalein Compound, red	CCT	44-50U
Bismuth (2) and Calomel (1/10)	CT	00--09
Bismuth, Calomel and Ipecac	TT	00-----28
Bismuth, Calomel and Ipecac Compound No. 2 (Ives)	TT	01-----50
Bismuth Compound, No. 2 'Ives'		
Corrective Infants No. 2 'Ives'		
Bismuth Compound, No. 1 (Ives)	TT	01-----42
	CCT	00-----14
Corrective Infants No. 1 'Ives'		
Corrective Infants No. 1 'Ives'		
Bismuth and Cerium	TT	95-----42
Bismuth and Cerium Oxalate		
Bismuth and Cerium Compound	CT	20-----48
Bismuth and Cerium No. 2 'Exempt'		
Nausea 'Exempt'		
Bismuth, Cerium and Cocaine	CT	00-----39
Bismuth and Cerium, No. 2		
Nausea No. 2		
Bismuth and Charcoal	CT	00-----23
Bismuth and Hydrastis Compound	CT	14-----37

Brown Compound	CT	18-----48
Brown Mixture 60 mins 'without Opium'		
Brown Mixture without Opium, 60 mins		
Brown Compound	ML	18-----48
Brown Mixture 100 mins ' without Opium'		
Brown Mixture without Opium, 100 mins		
Brown Compound, Half Strength	TT	18-----42
Brown Mixture 30 mins 'without Opium'		
Brown Mixture without Opium, 30 mins		
Brown Compound with Ammonium Chloride	CT	18-----49
Brown Mixture Compound 'without Opium'		
Brown Mixture Compound without Opium		
Brown Compound with Opium	ML	10-----42
Brown Mixture, 100 mins		
Brown Compound with Opium and Ammonium Chloride	CT	00-----42
Brown Mixture Compound		
Brown Compound No. 1 with Ammonium Chloride	ML	18-----42
Brown Mixture and Ammonium Chloride 'without Opium'		
Brown Mixture and Ammonium Chloride without Opium		
Brown Compound No. 1 with Opium and Ammonium Chloride	ML	08-----42
Brown Mixture and Ammonium Chloride		
Brown Mixture, 30 mins	TT	93-----23
Brown Mixture $\frac{1}{2}$ teaspoon		
Brown Mixture, 60 mins	CT	93-----39
Brown Mixture 1 teaspoon		
Brown Mixture, 100 mins	CT	00-----14
Brown Mixture with Ammonium Chloride	CT	08-----14
Bryonia Tincture $\frac{1}{2}$ mins	TT	00-----14
Bryonia Tincture 1 mins	TT	00-----14
Bryonia Tincture 2 mins	TT	00-----23
Bryonia Tincture 5 mins	TT	00-----23
Buchu and Atropine Compound, Acid	CT	00-----39
	CCT	00-----48
Buchu Compound, Acid		
Buchu Compound, Acid 'For Acid Urine'		
Cystitis No. 1 'For Acid Urine'		

Buchu and Atropine Compound, Alkaline	CT	00-----44
	CCT	00-----42
Buchu Compound, Alkaline		
Buchu Compound, Alkaline 'For Alkaline Urine'		
Cystitis, No. 2 'For Alkaline Urine'		
Buchu and Hyoscyamus Compound	CT	00-----39
Buchu Compound, Infusion		
Cactus Grandiflorus, FE 1 mins	TT	00-----31
Caffeine, Citrated, $\frac{1}{2}$ gr.	TT	93-----42
Caffeine, Citrated, 1 gr.	TT	00-----28
	CCT	00-----14
Calcium Gluconate, 15 grs.	FW	33-----50
Calcium Lactate, 5 gr.	CT	15-----50
Calcium Lactate, 10 gr.	CT	37-----50
Calcium Mandelate, 8.45 gr.	CT	42-4
Calcium Pantothenate, 10 mg.	CT	44-50
Calcium Sulfide, 1/100 gr.	TT	93-----17
Calcium Sulfide, 1/50 gr.	TT	93 only
Calcium Sulfide, 1/20 gr.	TT	95-----14
Calcium Sulfide, 1/10 gr.	TT	93-----14
	CCT	00-----14
Calcium Sulfide, 1/8 gr.	TT	95-----14
	CCT	00-----20
Calcium Sulfide, 1/5 gr.	TT	93 only
Calcium Sulfide, 1/4 gr.	TT	93-----42
	CCT	00-----39
Calcium Sulfide, 1/2 gr.	TT	93-----39
	CCT	00-----39
Calcium Sulfide, 1 gr.	TT	95-----39
	CCT	00-----42
Calcium Sulfide, 2 grs.	CCT	29-----42

Calomel, 1/1000 gr. _____
 Calomel, 1/500 gr. _____
 Calomel, 1/200 gr. _____
 Calomel, 1/100 gr. _____
 Calomel, 1/50 gr. _____
 Calomel, 1/30 gr. _____
 Calomel, 1/20 gr. _____
 Calomel, 1/12 gr. _____
 Calomel, 1/10 gr. _____

aromatic pink _____

White 06-42; Purple 06-42; Brown 08-39;

Calomel, 1/8 gr. _____
 Calomel, 1/6 gr. _____
 Calomel, 1/5 gr. _____
 Calomel, 1/4 gr. _____

aromatic pink _____

Calomel, 1/3 gr. _____
 Calomel, 1/2 gr. _____

aromatic pink _____

Calomel, 1 gr. _____

aromatic pink _____

Calomel, 2 grs. _____

Calomel, 3 grs. _____

Calomel, 5 grs. _____

Calomel and Bismuth Compound _____

Calomel and Bismuth, No. 2

Calomel and Bismuth Compound, aromatic pink _____

Calomel and Bismuth, No. 2

Calomel and Dover's, No. 1 _____

Calomel and Dover's, No. 2 _____

Calomel and Ipecac, No. 1 _____

Calomel and Ipecac, No. 2 _____

Calomel and Phenolphthalein, No. 2 _____

TT 93 10
 TT 93 10
 TT 93 10
 TT 93 20
 TT 93 10
 TT 00 10
 TT 93 31
 TT 93 10
 TT 93 42
 CCT 00 14
 TT 02 50
 TT 93 42
 TT 93 31
 TT 93 09
 TT 93 42
 CCT 00 23
 TT 02 42
 TT 00 14
 TT 00 42
 CCT 00 14
 TT 02 42
 TT 01 42
 CCT 00 14
 TT 02 50
 TT 00 39
 CCT 00 10
 TT 00 23
 CT 00 10
 CT 08 37
 CT 09 37
 TT 00 14
 TT 00 14
 TT 93 14
 TT 93 23
 CT 19-23

Calomel and Phenolphthalein, No. 3	CT	10-23
(TT '10 to '14)		
Calomel and Phenolphthalein, No. 4	CT	19-23
Calomel and Rhubarb Compound, No. 3, aromatic	CT	14-37
Calomel and Rhubarb Compound		
Calomel and Sodium Bicarbonate, No. 5	TT	00-23
Calomel and Sodium Bicarbonate Compound, No. 1	CCT	00-23
Calomel and Sodium Bicarbonate Compound, No. 2	TT	93-25
	CCT	00-23
Calomel and Sodium Bicarbonate Compound, No. 3	CCT	10-23
Calomel, 1/10 gr. and Soda (RxB)	TT	93-39
	CCT	00-23
	TT	02-39
aromatic pink		
Calomel and Soda, No. 3		
Calomel and Sodium Bicarbonate, No. 3		
Calomel, 1/4 gr. and Soda (RxH)	TT	00-39
	CCT	00-23
	TT	02-39
aromatic pink		
Calomel and Soda, No. 4		
Calomel and Sodium Bicarbonate, No. 4		
Calomel, 1/2 gr. and Soda (RxK)	TT	00-39
	CCT	00-23
	TT	02-39
aromatic pink		
Calomel and Soda, No. 6		
Calomel and Sodium Bicarbonate, No. 6		
Calomel, 1 gr. and Soda (RxM)	TT	00-39
	CCT	00-5
	TT	02-39
aromatic pink		
Calomel and Soda, No. 1		
Calomel and Sodium Bicarbonate, No. 1		
Calomel 2 1/2 grs. and Soda (RxR)	CT	00-37
	CCT	00-23
Calomel and Soda, No. 2		
Calomel and Sodium Bicarbonate, No. 2		
Calomel, Ipecac and Sodium Bicarbonate, No. 2	TT	93-23
Calomel, Ipecac and Sodium Bicarbonate, No. 3	TT	00-28
Calomel, Ipecac and Sodium Bicarbonate RxD		
Calomel, Ipecac and Sodium Bicarbonate, RxA	TT	93-42
	CCT	00-23
Calomel, Ipecac and Sodium Bicarbonate, No. 1		

Calomel, Ipecac and Sodium Bicarbonate, RxB_____

Calomel, Ipecac and Sodium Bicarbonate, No. 4_____

Calomel, Podophyllin and Soda, RxB_____

Calomel and Sodium Bicarbonate Compound, No. 1_____

Calomel, Podophyllin and Soda, RxD_____

Calomel and Sodium Bicarbonate Compound, No. 3_____

Calomel, Podophyllin and Ipecac (Kenyon)_____

Calomel, Rhubarb and Colocynth Compound_____

Brown 22-49; White 48-50;

Calophen Compound_____

Corrective Infants_____

Corrective Infants, No. 3_____

Calophen, 1/10 gr._____

Calophen, 1/4 gr._____

Calophen, 1/2 gr._____

Calophen, 1 gr._____

Camphor, 1/50 gr._____

Camphor, Hyoscyamus and Valerian_____

Camphor, Hyoscyamus and Valerian (Nervine)_____

Camphor, Monobromated, 2 grs._____

Camphor, Monobromated, 1 gr._____

Cannabin Compound, green or red_____

Cannabis, Extract, 1/4 gr._____

Cannabis Indica, Tincture, 1 min_____

Cannabis Indica, Tincture, 2 mins_____

Cannabis and Zinc Phosphide_____

Capsicum, 1/100 gr._____

Capsicum, 1/50 gr._____

Capsicum, 1/10 gr._____

Capsicum, 1/8 gr._____

Capsicum, 1/4 gr._____

Capsicum, 1/3 gr._____

Capsicum, 1/2 gr._____

(TT to '19)

Capsicum, 1 gr._____

Capsicum and Nux Vomica_____

TT _____23-----42

CCT _____00-----23

TT _____00-----39

CT _____10-----42

TT _____93-----29

CCT _____22-----50

FW _____10-----42

TT _____09-----50

CT _____25-----50

CT _____25-----50

CT _____25-----50

TT _____00-----14

CT _____00-----10

CCT _____00-----42

CT _____00-----39

TT _____00-----23

CCT _____04-----31

CCT _____00-----31

TT _____00-----10

TT _____00-----10

TT _____01-----14

TT _____93-----09

TT _____93-----14

TT _____93-----14

TT _____00-----14

TT _____93-----23

TT _____00-----14

CT _____93-----23

CT _____00-----23

TT _____93-----42

Carbarsone, 3/4 gr. _____
 Carbarsone, 3-3/4 grs. _____
 Carbolic Acid, 1/10 gr. _____
 Carbromal, 5 grs. _____
 Diethylbromacetylcarbamide _____
 Carbromal and Belladonna _____
 Cardiac (Dr. Waldstein) _____
 Cardiac Asthma _____
 Cardiac, No. 2 _____
 Cardiac Stimulant, No. 3 _____
 Carica Compound, 5 grs. _____
 Caripeptic with Charcoal and Soda, 5 grs. _____
 Carica Compound, 7 grs. _____
 Caripeptic with Charcoal and Soda, 7 grs. _____
 Carica-Bismuth Compound _____
 Caripeptic Bismuth Compound _____
 Cholera Infantum _____
 Carica with Glycerophosphate, 7 grs. _____
 Caripeptic with Glycerophosphate, 7 grs. _____
 Caripeptic _____
 Caripeptic Wafers with Magnesia _____
 Carminative (Fothergill) _____
 Cascara Compound, No. 2 _____

 Cascara Compound, No. 7 _____

 Anti-Constipation _____
 Cascara Sagrada, Extract, 1 gr. _____

 Cascara Sagrada, Extract, 2 grs. _____
 Cascara Sagrada, Extract, 3 grs. _____

 Cascara Sagrada, Extract, 5 grs. _____

 Cascarin Compound, No. 1 _____

 Cascarin Compound _____
 Cathartic, Active, No. 1 _____

 Cathartic, Active _____

CT _____46-8
 CT _____46-8
 TT 93-----10
 CT _____37-----50

 CT _____44-8
 TT -----00-----20
 TT -----10-----20
 CT -----01-----31

 CT -----07-----50

 CT -----04-----50

 FW -----20-----42

 CT -----20-----50

 CT -----05-----14
 FW -----31-3
 TT -----00-----25
 TT -----10-4
 CCT -----10-----37
 CT -----00-----14
 CCT -----00-----37

 TT -----00-----14
 CCT -----00-----39
 CCT -----00-----42
 CT -----00-----25
 CCT -----00-----29
 CT -----00-----31
 CCT -----07-----50
 TT -----00-----23
 CCT -----00-----37

 TT -----00-----23
 CCT -----00-----39

Cathartic, Vegetable _____
 Cathartic Compound _____
 Cathartic Compound, Improved, 1/10 gr. _____
 Cathartic Compound, Improved, 1/5 gr. _____
 Cathartic Compound, Improved, 1/5 gr., USP _____
 Cathartic Compound, Improved, 1 gr. _____
 Cathartic Compound, Improved, 3 grs. _____
 Cathartic Compound, Improved, 2 1/2 grs. _____
 Cathartic Compound, USP, 1/10 gr. _____
 Cathartic Compound, USP, 1 gr. _____
 Cathartic Compound, Vegetable, 1 gr. _____
 Cebefortis _____
 Cerelexin Compound _____
 Cerium Oxalate, 1/2 gr. _____
 Cerium Oxalate, 1 gr. _____
 Charcoal, 5 grs. _____
 Charcoal, 5 grs. _____
 Charcoal, 10 grs. _____
 Charcoal, 10 grs. _____
 Charcoal and Bismuth _____
 Charcoal and Pepsin _____
 Charcoal and Pepsin _____
 Chlorguanide Hydrochloride, 115 mg. _____
 Chlorodyne _____
 Chlorodyne, Half Strength _____
 Cholagogue (Dr. C. M. Drake) _____
 Cholera Infantum, No. 2 _____
 Chromium Sulfate, 4 grs. _____
 Cimicifuga, FE, 1 min _____
 Cinchophen, 5 grs. _____
 Cinchophen, 7 1/2 grs. _____
 Acid Phenylcinchoninic _____
 Eucophen _____
 Citro-Ergotin Compound _____
 Enuresis _____
 Enuresis, No. 5 _____
 Citrocarbonate Effervescent _____

CT _____00-----39
 CT _____00-----42
 CCT _____00-----44
 TT _____95 only
 TT _____95 only
 TT _____95 only
 CCT _____00-----37
 CCT _____02-----44
 TT _____95-----10
 CT _____00--09
 CT _____00-----23
 CCT _____46-50
 CCT _____57-----50
 TT _____00-----14
 TT _____00-----39
 CT _____00-----42
 FW _____04-----28
 CT _____00-----22
 FW _____04-----23
 FW _____04-----23
 FW _____04-----28
 CT _____00-----37
 CT _____49-50
 CT _____00-----23
 CCT _____00-----37
 CT _____02-----23
 CCT _____00-----37
 CCT _____00--09
 FW _____10--18
 CT _____10-----39
 TT _____93-----23
 CT _____22-----49
 CT _____22-----50
 FW _____10-----29
 ET _____42--50

Cocaine Hydrochloride, 1/100 gr. _____
 Cocaine Hydrochloride, 1/50 gr. _____
 Cocaine Hydrochloride, 1/20 gr. _____
 Cocaine Hydrochloride, 1/10 gr. _____
 Cocaine Hydrochloride, 1/8 gr. _____

Cocaine Hydrochloride, 1/5 gr. _____
 Codcentrate _____
 Codeine, 1/10 gr. _____
 Codeine, 1/8 gr. _____

Codeine, 1/4 gr. _____

Codeine, 1/2 gr. _____

Codeine, 1 gr. _____
 Codeine Sulfate, 1/10 gr. _____
 Codeine Sulfate, 1/8 gr. _____
 Codeine Sulfate, 1/4 gr. _____

Codeine Sulfate, 1/2 gr. _____
 Codeine Sulfate, 1 gr. _____
 Colchicum, Tincture, 2 mins _____
 Colchicum, Tincture, 3 mins _____
 Colchicum, Tincture, 5 mins _____
 Colchicum Compound _____

Rheumatic RxA

Rheumatic, No. 2

Cold, No. 2 _____

Cold, No. 3 _____

Cold Laxative _____

Cold Special, No. 1, red _____

Brown 04-20; White 07-20; Pink 13-20;

Colocynth, Ipecac and Blue Mass _____

Anit-Dyspeptic, No. 1

Coltsfoot-Glycyrrhiza Compound _____

Bronchial

Conium Compound _____

TT ———93—————14
 TT ———93—————20
 TT ———93—————14
 TT ———93—————20
 TT ———00—————14
 MT ———14—————50
 TT ———00—————14
 CCT ———37 only
 TT ———00——10
 TT ———00—————23
 CCT ———02—————17
 TT ———00—————23
 CCT ———00—————14
 TT ———00—————20
 CCT ———00—————14
 TT ———00—————20
 TT ———00——09
 TT ———00—————48
 TT ———00—————50
 CCT ———02——10
 TT ———00—————50
 MT ———00—————50
 TT ———95 only
 TT ———95 only
 TT ———95 only
 CT ———00—————20
 CCT ———01—————37

CT ———00—————20
 CT ———00—————14
 CCT ———00—————23
 CCT ———05—————20
 CCT ———04—————39

CT ———00—————42
 CCT ———00—————39

ML ———04—————39

TT ———00—————14

Copper and Opium _____
 Copper Arsenite, 1/5000 gr. _____
 Copper Arsenite, 1/1000 gr. _____
 Copper Arsenite, 1/500 gr. _____
 Copper Arsenite, 1/200 gr. _____
 Copper Arsenite, 1/100 gr. _____
 Copper Arsenite, 1/50 gr. _____
 Corpus Luteum, Desiccated, 2 grs. _____
 Corrosive Sublimate, 1/10,000 gr. _____
 Corrosive Sublimate, 1/5,000 gr. _____
 Corrosive Sublimate, 1/1,000 gr. _____
 Corrosive Sublimate, 1/500 gr. _____
 Corrosive Sublimate, 1/200 gr. _____
 Corrosive Sublimate, 1/100 gr. _____
 Corrosive Sublimate, 1/60 gr. _____
 Corrosive Sublimate, 1/50 gr. _____
 Corrosive Sublimate, 1/40 gr. _____
 Corrosive Sublimate, 1/32 gr. _____
 Corrosive Sublimate, 1/30 gr. _____
 Corrosive Sublimate, 1/20 gr. _____
 Corrosive Sublimate, 1/16 gr. _____
 Corrosive Sublimate, 1/12 gr. _____
 Corrosive Sublimate, 1/10 gr. _____
 Corrosive Sublimate, 1/8 gr. _____
 Cortalex _____
 Coryza _____

 Coryza (Dr. Bishop) _____
 Coryza, Improved _____
 Coryza, RxA (Richards) _____

 Coryza, Exempt _____
 Coryza, RxF (Kenyon) _____

 Coryza (Kenyon) _____
 Coryza, RxH (Smith) _____
 Coryza (Smith) _____
 Coryza (Dr. MacCuen Smith) _____

TT _____00---10
 TT _____00---09
 TT _____00---09
 TT _____00---09
 TT _____00---09
 TT _____93-----39
 TT _____93-----23
 CCT _____23-----42
 TT _____93 only
 TT _____93 only
 TT _____93-----23
 TT _____93-----14
 TT _____93-----23
 CCT _____00---10
 TT _____93-----14
 TT _____93-----23
 TT _____93-----14
 TT _____93 only
 CCT _____00---10
 TT _____93-----23
 TT _____93-----23
 TT _____93-----14
 TT _____93-----25
 TT _____93 only
 CT _____42--50
 CT _____00-----20
 CCT _____00-----39
 TT _____07-----20
 CCT _____01-----23
 CT _____18-----39
 CCT _____18-----39
 TT _____00-----20
 CCT _____00-----39
 CCT _____01-----42

Cough, No. 3 _____
 Cough _____
 Cough for Children, No. 4 _____
 Cough (Dr. Drossner), No. 1 _____
 Cough (Dr. Drossner), No. 2 _____
 Creosote, (Beechwood), 1/10 min _____

 Creosote, (Beechwood), 1/4 min _____

 Creosote, (Beechwood), 1/2 min _____
 Creosote, (Beechwood), 1 min _____

 Creosote Compound _____

 Creosote and Iodine _____
 Creosote and Iodine Compound _____
 Croup, No. 2 _____
 Cubeb Compound _____

 Cubeb Compound, No. 1 _____
 Gonorrhea _____
 Cubeb Compound, No. 2 _____
 Gonorrhea _____
 Cubeb Compound, No. 5 _____
 Gonorrhea, No. 2 _____
 Cyolopal, 2 $\frac{1}{2}$ grs. _____
 Cyolopal and Aspirin _____
 Cystitis, No. 3 _____

TT _____00-----29
 FW _____10---20
 TT _____04-----23
 CT _____04-----23
 TT _____93-----23
 CCT _____00--09
 CT _____10 only
 CCT _____04---14
 TT _____00-----23
 CT _____00-----23
 CCT _____00-----39
 CT _____02-----20
 CCT _____00-----17
 CCT _____05-----46
 TT _____10---20
 CT _____00-----37
 CCT _____00-----37
 CT _____00-----37
 CCT _____01-----37
 CT _____42-6
 CT _____42--50
 CCT _____05-10

Damiana Compound	CT	00--10
	CCT	00--10
Damiana Compound No. 4 (Dr. LaMadrid)	CCT	02-----25
Damiana and Zinc Phosphide Compound	CT	00-----31
Damiana and Zinc Phosphide Compound, red and brown	CCT	00-----31
Aphrodisiac		
Damiana, Nux Vomica and Zinc Phosphide Compound, red	CCT	44-6U
Dehydrocholic Acid, 3 3/4 grs.	CT	42-50
Diacetyl Morphine, 1/24 gr.	TT	01-----23
Diacetyl Morphine, 1/16 gr.	TT	01-----23
Diacetyl Morphine, 1/12 gr.	TT	00-----23
Diacetyl Morphine, 1/6 gr.	TT	08-----23
Heroin		
Diacetyl Morphine Hydrochloride 1/12 gr.	TT	17-23
Diaphoretic (Dr. Whitford)	CT	00-----14
Diarrhea No. 2	TT	93-----23
	CCT	00-----20
Diarrhea, Improved	TT	02-----23
Diarrhea, Miller	CT	22-5
	CCT	22-5
Dicumarol, 100 mg.	CT	49-50
Digestive, Aromatic, 5 gr.	CT	00-----25
Diginfuse	CT	19-----42
Digipuratum, 1 1/2 gr.	CT	22-3
Digitalin, German, Pure (Merck) 1/100 gr.	TT	00-----42
Digitalin, German, Pure (Merck) 1/50 gr.	TT	00-----42
Digitalin, pure 1/200 gr.	TT	00-----10
Digitalin, pure 1/60 gr.	TT	00-----23
	CCT	02-----23
Digitalin, Pure		
Digitalis and Aconite	TT	00-----10
Digitalis & Iron Compound	TT	93-----17
Digitalis Compound No. 1 (Dr. Wood)	TT	93-----14
Digitalis Compound No. 2 (Dr. Wood)	TT	93-----14
Digitalis Compound (Hale)	CT	10-----33
	CCT	10-----33
Heart Tonic 'Hale'		
Digitalis FE 1/20 mins	TT	95-----14
Digitalis FE 1/10 mins	TT	95-----10
Digitalis FE 1/5 mins	TT	95-----14

Digitalis FE $\frac{1}{2}$ mins _____
 Digitalis FE 1 mins _____

 Digitalis Leaves, Po. 1/20 gr. _____
 Digitalis Leaves, Po. 1/10 gr. _____
 Digitalis Leaves, Po. 1/5 gr. _____
 Digitalis Tincture, $\frac{3}{4}$ mins _____
 Digitalis Tincture, $1\frac{1}{2}$ mins _____
 Digitalis Tincture, 3 mins _____
 Digitalis Tincture, $4\frac{1}{2}$ mins _____
 Digitalis, USP, 1 gr. _____
 Digitara, 1 gr. _____
 Digitara, $1\frac{1}{2}$ gr. _____
 Digitoxin, 0.1 mg. _____
 Digitoxin, 0.2 mg. _____
 Diostate _____
 Diostate Abergic _____
 Diostate D _____
 Diostate D Ferrous _____
 Dipsomania _____
 Diuretic No. 1 _____
 Diuretic Improved _____
 Diuretic No. 2 _____

 Diuretic _____
 Dobell's Solution _____
 Dobell's Solution _____
 Dover's Powder USP, 1 gr. _____

 Ipecac & Opium Powder _____
 Dover's Powder USP, $2\frac{1}{2}$ gr. _____

 Ipecac & Opium Powder _____
 Dover's Powder USP, 5 gr. _____

 Ipecac & Opium Powder _____
 Dover's Powder with Acetylsalicylic Acid & Phenacetin _____
 Dover's Powder and Quinine _____
 Dyspepsia _____
 Dyspeptic (Haworth) _____

TT ———95—————14
 TT ———93—————23
 CCT ———00—————23
 TT ———93—————23
 TT ———93—————10
 TT ———93—————10
 TT ———93—————14
 TT ———93—————14
 TT ———93—————23
 TT ———93—————33
 CT ————————37-9
 CT ———19—————50
 CT ———28—————50
 CT ————————46-50
 CT ————————46-50
 CT ————————42-50
 CT ————————49-50
 CT ————————44-50
 CT ————————46-50
 TT ———00—————23
 CCT ———01—————33

 CT ———00—————33
 CCT ———00—————33

 CT ———29—————48
 MT ———00—————29
 TT ———93—————42
 CCT ———00—————23

 CT ———93—————46
 CCT ———00—————23

 CT ———00—————48
 CCT ———00—————23

 CT ————————42-50
 CT ———00-5
 CCT ———00—————14
 TT ———93—————29

Elaterin 1/20 gr. _____
 Elaterin 1/10 gr. _____
 Elaterium (Clutterbuck), 1/16 gr. _____
 Elaterium (Clutterbuck), 1/10 gr. _____
 Elaterium (Clutterbuck), 1/8 gr. _____
 Emmenagogue No. 1 _____

 Emmenagogue No. 2 _____
 Endometritis _____
 Enteritis (Haskell) _____
 Enzyme Compound _____
 Enzyme Compound, aromatic _____
 Digestive Aromatic _____
 Digestive Aromatic No. 2, 5 gr. _____
 Enzyme Compound RxB _____

 Digestive RxB _____
 Digestive No. 2 _____
 Enzyme Compound, RxC _____

 Digestive RxC _____
 Digestive No. 1 _____
 Ephedrate _____
 Ephedrate Abergio _____
 Ephedrine Sulfate 3/8 gr. abergio _____
 Epileptic _____
 Epileptic (Batton) _____
 Ergot, Extract, 1 gr. _____
 Ergot, FE, 1 mins _____
 Ergotin, 1/4 gr. _____
 Ergotin, 1/10 gr. _____
 Ergotin and Strychnine Compound _____
 Ergotora _____
 Ergot and Aloe Compound No. 3 _____

 Ergot Compound, Improved _____
 Ergotin Compound, Improved _____
 Emmenagogue, Improved _____

TT _____00-----22
 TT _____00-----14
 TT _____00-----14
 TT _____93-----14
 TT _____00-----39
 CT _____00-----14
 CCT _____00-----28
 CT _____01--09
 CCT _____01-----23
 TT _____00-----20
 CT _____04-----48

 CT _____02-----37
 CCT _____00-----10

 CT _____23-----39
 CCT _____00-----23

 CT _____44-9
 CT _____49-50
 CT _____49-50
 CCT _____01--10
 CT _____01-----29
 TT _____00-----39
 TT _____00-----23
 TT _____00-----31
 TT _____00-----23
 CCT _____01-----23
 CT _____37-----50
 CT _____00-----23
 CCT _____00-----46

Ergot Aloe Compound, No. 2	CCT	05-----46
Ergot Compound, Improved, No. 2		
Ergotin Compound, Improved, No. 2		
Emmenagogue Improved No. 2		
Eucalyptus FE, 1 min	TT	00----14
Euonymin Brown 1/8	TT	00--10
Euonymin Brown 1/4	TT	00--10
Euonymin Brown 1/2	TT	00--10
Euonymin Brown 1	TT	00--10
Euphorbia Compound (Hare)	CT	02-----42
Anti-Asthmatic 'Hare'		
Expectorant, No. 2	CT	00-----42
Bronchial		
Expectorant No. 6	TT	18-----37
Cough Exempt		
Cough No. 3 Exempt		

Febrifuge (Laxative)	CCT	02-----25
Ferrated Liver Concentrate	CCT	-----44-50
Ferrated Liver Concentrate with Folic Acid	CCT	-----49-50
Ferrone	FW	-----22---33
Ferrous Sulfate 5 gr.	CCT	-----39----50
Fever	TT	-----95-----14
Fever (Dr. H. J. Kenyon)	TT	-----93-----20
	CCT	-----00-----20
Folic Acid, 5 mg.	CT	-----49-50
Follicular Tonsillitis	TT	-----01-----23
(Same as Aconite--Biniodide Compound No. 1 with Morphine Sulfate 1/100 gr.)		
Formohydrion Two	CT	-----22-29
Formohydrion Two and One-Half	ICT	-----37--44
Formohydrion Five	CT	-----25-----50
Formohydrion Seven and One-Half	CT	-----42--50
Gallic Acid Compound, No. 3	CCT	-----01-----42
Menorrhagic, No. 3		
Gallic Acid and Hydrastis Compound (Hirst)	CCT	-----00-----48
Gallic Acid Compound 'Hirst'		
Menorrhagic 'Hirst'		
Gargle, RxC	CT	-----01-----42
Tonsillitis Gargle RxB		
Tonsillitis Gargle		
Gargle Astringent	CT	-----04 only
Gastritis No. 1	CCT	-----01-----20
Gelsemin (Concentration), 1/8	TT	-----00--10
Gelsemin (Concentration), 1/4 gr.	TT	-----00-----29
Gelsemium, Fluidextract, 1 min	TT	-----93-----39
Gelsemium, Tincture, 1½ mins	TT	-----93-----14
Gelsemium, Tincture, 3 mins	TT	-----95-----29
Gelsemium, Tincture, 4½ mins	TT	-----00-----23
Gentian, Nux Vomica Compound	CCT	-----04-----42
Gentian Compound		
(Capsicum out '31)		

Gentian-Strychnine Compound, No. 1

Anti-Dyspeptic No. 2

(Capsicum out '31)

Gold and Sodium Chloride 1/10

Guaiac, 2 gr.

Guaiac and Hydrastis Compound

Guaiac and Hydrastis Compound 'Throat'

Guaicol Carbonate Compound RxA (Woodbridge)

Typhoid Fever No. 1 'Woodbridge'

Guaicol Carbonate Compound RxB (Woodbridge)

Typhoid Fever No. 2 'Woodbridge'

Guaiocaine

Guaiodized Lime

CT 00-----42

CCT 00-----42

TT ---93 only

CT 00---10

CT 01-----33

TT 01-----33

TT 01-----37

FW -----31-----50

ML -----22-----46

Haematic (Kirwan)

Heart Tonic

Hepatic

Hydrogogue Cathartic

Hydrastine (white alkaloid) 1/16

Hydrastine (white alkaloid) 1/8

Hydrastine (white alkaloid) 1/4

Hydrastine Compound

Hydrastine Tincture, 1 mins

Hydrastine Tincture, 2 mins

Hydrastine Tincture, 3 mins

Hyoscyamus Tincture, 1 mins

Hypnotic

Hypophosphites and Quinine Compound

Hypophosphites and Quinine Compound with Creosote

Hypophosphites and Quinine Compound with Strychnine

CT 01--09

CT 00--10

CCT 01--09

TT 00-----23

TT 01--10

TT 00--10

TT 00---14

TT 00---14

TT 00---20

TT ---95 only

TT ---95 only

TT ---95 only

TT ---95 only

CT 00-----31

CT 00-----23

CT 00--09

CT 00-----23

Ignatia 1/20 gr. _____
 Ignatia 1/10 gr. _____
 Ignatia Extract 1/4 gr. _____
 Infant Cough No. 3 _____
 Infusion Digitalis USP (Upjohn) 4 mils _____
 Injection Compound No. 1 _____
 Injection Compound (Exempt) _____
 Intestinal Atony (Dr. Hare) _____
 Intestinal Tonic _____
 Iodized Lime, 1/3 gr. _____
 Iodized Lime, 1/3 gr. aromatic _____
 Iodized Lime, 1 gr. _____
 Iodized Lime, 1 gr. aromatic _____
 Iodized Lime, 2 gr. _____
 Iodized Lime, 2 gr. aromatic _____
 (Calcium Iodized; Lime Iodized)
 Ipecac, FE 1 mins _____
 Ipecac Po. 1/4 gr. _____
 Ipecac Po. 1/2 gr. _____
 Ipecac Po. 1 gr. _____
 Iron and Ammonium Citrates, 7½ gr. _____
 Iron Arsenate 1/25 gr. _____
 Iron Arsenate 1/16 gr. _____
 Iron Arsenate 1/10 gr. _____
 Iron Arsenate 1/8 gr. _____
 Iron Arsenate 1/4 gr. _____
 Iron and Arsenic No. 1 _____

 Iron and Arsenic No. 2 _____
 Iron (1/60) and Arsenic (1/5) No. 2 _____
 Iron and Arsenic No. 3 _____
 Iron, Arsenic and Nux Vomica _____
 Iron, Arsenic and Strychnine, No. 1 _____

 Iron, Arsenic and Strychnine, No. 2 _____

 Iron, Arsenic and Strychnine No. 3 _____
 Iron by Hydrogen, 1/2 gr. _____
 Iron by Hydrogen, 1 gr. _____

TT ———00-----20
 TT ———00----10
 TT ———00-----17
 TT ———10-17
 CT ———18 only
 CT ———01-----14
 CT ———19---29
 CT ———01--09
 CT ———00-----23
 TT ———08 only22-----42
 CT ———37-----50
 TT ———08 only22-----46
 CT ———37-----50
 CT ———08 only22-----46
 CT ———37-----50
 TT ———93-----10
 TT ———93-----29
 TT ———95-----23
 TT ———00-----23
 CT ———37---46
 TT ———93-----14
 TT ———93-----14
 TT ———93-----23
 TT ———95-----14
 TT ———95-----17
 TT ———93-----14
 CCT ———01-----14
 TT ———93-----23
 TT ———93-6
 TT ———93-----23
 TT ———93-----23
 TT ———93-----39
 CCT ———00-----42
 TT ———93-----42
 CCT ———00-----42
 TT ———93-----23
 TT ———00-----20
 TT ———00-----23

Iron Citrate (ferric), 1 gr. _____	TT	_____00-----22
Iron Lactate (ferrous), 1 gr. _____	TT	_____00---10
Iron, Mercury, Strychnine and Arsenic _____	CT	_____01--09
	CCT	_____00-----42
Iron and Mercury Compound		
Iron Peptonate Compound, No. 1 _____	CT	_____01--09
Iron Peptonate Compound, No. 2, red _____	CT	_____01--09
Iron and Phosphorous Compound _____	CCT	_____01-----23
Iron Pyrophosphate, 1 gr. _____	TT	_____00-----14
Iron Pyrophosphate, Quinine and Strychnine, No. 1 _____	CCT	_____01-----23
Iron Pyrophosphate, Quinine and Strychnine, No. 2 _____	CCT	_____01-----23
Iron and Quinine _____	TT	_____00---10
Iron and Quinine Citrate, 1 gr. _____	CT	_____00---10
Iron and Quinine Citrate, $\frac{1}{2}$ gr. _____	TT	_____00-----23
Iron, Quinine and Arsenic, No. 1 _____	CT	_____00-----23
Iron, Quinine and Arsenic, No. 2 _____	TT	_____95-----14
Iron, Quinine and Strychnine _____	TT	_____94-----42
	CCT	_____00-----42
Iron, Quinine and Strychnine, No. 1		
Iron, Quinine, Strychnine and Arsenic, No. 1 _____	CCT	_____01-----39
Iron Pyrophosphate, Quinine and Strychnine Compound		
Iron Pyrophosphate, Quinine and Strychnine Compound, No. 3		
Iron, Quinine, Strychnine and Arsenic, No. 2 _____	CCT	_____00-----39
Iron and Strychnine Compound		
Iron and Strychnine _____	TT	_____93-----10
Iron and Strychnine Citrate, $\frac{1}{2}$ gr. _____	TT	_____00---10
Iron and Strychnine Citrate, $\frac{1}{4}$ gr. _____	TT	_____00-----22
Iron and Strychnine Citrate, 1 gr. _____	TT	_____00-----20
Iron and Strychnine Compound _____	TT	_____95-----22

Lactated Pepsin, 5 gr. _____
 Laxative _____
 Lead-Opium Compound (Sullivan) _____
 Diarrhea No. 3 _____
 Diarrhea No. 3 'Sullivan' _____
 Diarrhea RxC 'Sullivan' _____
 Lead and Opium Wash _____
 Leptandrin, 1/16 gr. _____
 Leptandrin, 1/8 gr. _____
 Leptandrin, 1/4 gr. _____
 Leptandrin, 1/2 gr. _____
 Licorice Extract 1/10 gr. _____
 Licorice Powder Compound _____
 Lifosulfas _____
 Lithium Benzoate with Hydrangea _____
 Lithium Carbonate, 1/2 gr. _____
 Lithium Carbonate, 1 gr. _____
 Lithium Salicylate, Colchicine Compound _____
 Lithium Salicylate Compound _____
 Rheumatic RxB _____
 Rheumatic No. 3 _____
 Lupulin Compound _____
 Lupulin and Bromide Compound Improved, purple _____

CT _____00 _____23
 FW _____00 _____33
 TT _____10 _____42

 CT _____07--17
 TT _____95 only
 TT _____95-----09
 TT _____95-----17
 TT _____95 only
 TT _____00-----14
 FW _____00-----23
 CCT _____49-50
 CT _____01--09
 TT _____00-----14
 TT _____00-----14
 CT _____00-----37
 CCT _____00-----42

 CT _____02-----20
 CCT _____01-----14
 CCT _____07-----31 44-9

Magnesia Wafers _____
 Magnesium Trisilicate 7½ gr. _____
 Maltotabs _____
 Maltotabs Abergio _____
 Maltotabs Half Strength with Belladonna _____
 Manganese Dioxide, 1/12 gr. _____
 Manganese Dioxide, 1/2 gr. _____

FW _____33-----50
 CT _____39-----50
 CT _____44-50
 CT _____49-50
 CT _____46-50
 TT _____95 only
 TT _____00-----14

Manganese Dioxide, 1 gr.	TT	—93—14
Manganese Dioxide, 2 gr.	TT	—00—39
Manganese Binoxide		
Manganese and Iron Compound	CCT	—04—37
Menadione, 1 mg.	CCT	—44—8
Menadione, 2 mg.	CCT	—44—8
Menorrhagia No. 3	CT	—01—23
Mercuric Chloride, 1/100 gr.	TT	—93—33
Mercuric Chloride, 1/30 gr.	TT	—93—33
Mercurous Tannate, 1 gr.	CCT	—07—31
Mercury Bichloride USP, Blue, Coffin-shape	CT	—20 only
Mercury Bichloride (Bernay), Large White	MT	—08—28
Mercury Bichloride (Bernay), Small White	MT	—02—29
Mercury Bichloride (Bernay), Large Blue Coffin-shape	MT	—05—46
Mercury Bichloride (Bernay), Small Blue Triangle shape	MT	—02—46
Antiseptic Tablets for Solution		
Antiseptic 'Bernay's'		
Mercury Bichloride (Upjohn) Blue	CT	—39—46
Mercury Bichloride (Wilson) Blue, Coffin-shape	CT	—02—46
Mercury Bichloride (Wilson) Small White	CT	—04—28
Antiseptic Wilson		
Mercury with Chalk, 1/10 gr.	TT	—93—14
Mercury with Chalk, 1/3 gr.	TT	—93 only
Mercury with Chalk, 1 gr.	TT	—93 only 07—25
Mercury Iodide, Red, 1/100 gr.	TT	—00—23
Mercury Iodide, Red, 1/50 gr.	TT	—95—23
Mercury Iodide, Red, 1/30 gr.	TT	—95—10
Mercury Iodide, Red, 1/25 gr.	TT	—93—23
Mercury Iodide, Red, 1/20 gr.	TT	—00—23
Mercury Iodide, Red, 1/16 gr.	TT	—93—31
	CCT	—00—14
Mercury Iodide, Red, 1/12 gr.	TT	—93—23
Mercury Iodide, Red, 1/8 gr.	TT	—00—39
	CCT	—00—23
Mercury Iodide, Red, 1/6 gr.	TT	—00—10
Mercury Iodide, Red, 1/4 gr.	TT	—00—39
	CCT	—02—23
Mercury Biniiodide		

Mercury Protiodide, Yellow, 1/1000 gr. _____
 Mercury Protiodide, Yellow, 1/500 gr. _____
 Mercury Protiodide, Yellow, 1/200 gr. _____
 Mercury Protiodide, Yellow, 1/100 gr. _____
 Mercury Protiodide, Yellow, 1/50 gr. _____
 Mercury Protiodide, Yellow, 1/25 gr. _____
 Mercury Protiodide, Yellow, 1/20 gr. _____
 Mercury Protiodide, Yellow, 1/16 gr. _____
 Mercury Protiodide, Yellow, 1/12 gr. _____
 Mercury Protiodide, Yellow, 1/10 gr. _____
 Mercury Protiodide, Yellow, 1/8 gr. _____

Mercury Protiodide, Yellow, 1/6 gr. _____

Mercury Protiodide, Yellow, 1/5 gr. _____

Mercury Protiodide, Yellow, 1/4 gr. _____

Brown 00-42; Red 09-29;
 Pink 09-31; Yellow 09-42;
 White and Black 14-23;

Mercury Protiodide, Yellow, 1/3 gr. _____

Mercury Protiodide, Yellow, 1/2 gr. _____

Mercury Protiodide, Yellow, 1 gr. _____

Mercury Protiodide and Opium _____

Methadon, 2.5 mg. _____

Methadon, 5 mg. _____

Methadon, 10 mg. _____

Methamphetamine Hydrochloride, 5 mg. _____

Methenamine, 5 gr. _____

Methenamine, 7 1/2 gr. _____

Methenamine 60 gr. _____

Methenamine with Ammonium Acid Phosphate _____

Methylene Blue, 1 gr. _____

Methylene Blue, Santal and Nutmeg _____

Methylene Blue Compound, No. 4

Methylene Blue Compound

TT ———95 only
 TT ———95-----10
 TT ———95-----10
 TT ———95-----10-----00
 TT ———95-----20
 TT ———95-----23
 TT ———95-----23
 TT ———95-----22
 TT ———00-----22
 TT ———95-----23
 TT ———95-----25
 CCT ———00-----42
 TT ———93-----25
 CCT ———04-----25
 TT ———93-----20
 CCT ———02-----22
 TT ———93-----42
 CCT ———00-----42

TT ———93-----23
 TT ———93-----39
 CCT ———02-----23
 TT ———00-----28
 TT ———95-----20
 CT ———49-50
 CT ———49-50
 CT ———49-50
 CT ———50 only
 CT ———07-----50
 CT ———07-----50
 CT ———42 only
 CT ———42 only
 CCT ———07-----42
 CT ———00-5
 CCT ———00-----42

Methyl Testosterone, 10 mg.	CT	49-50
Methyl Testosterone, 25 mg.	CT	49-50
Morphine Acetate, 1/8 gr.	TT	00 14
Morphine Acetate 1/4 gr.	TT	00 14
Morphine Bromide Compound	CT	01 20
Morphine Bromide Compound No. 2	CT	10 4
Morphine Sulfate, 1 gr. for preparing solutions	MT	22-3
Morphine Sulfate, 1/100 gr.	TT	93 10
Morphine Sulfate, 1/50 gr.	TT	93 20
Morphine Sulfate, 1/16 gr.	TT	93 23
Morphine Sulfate, 1/10 gr.	TT	93 23
Morphine Sulfate, 1/8 gr.	TT	93 44
	CCT	02 20
Red 02-20; Brown 03-20;		
Morphine Sulfate, 1/6 gr.	TT	93 20
	CCT	00 10
Morphine Sulfate, 1/4 gr.	TT	93 48
	CCT	02 20
Red 02-20; Brown 03-20;		
Morphine Sulfate, 1/3 gr.	TT	00 14
Morphine Sulfate, 1/2 gr.	TT	00 48
	CCT	00 14
Morphine and Atropine, No. 1	TT	93 23
Morphine and Atropine, No. 2	TT	93 10
Morphine and Atropine, No. 3	TT	93 22
	CCT	00 14
Morphine and Atropine, No. 4	TT	93 23
	CCT	00 10
Morphine and Atropine, No. 5	TT	95 17
Morphine and Atropine, No. 6	TT	00 10

Naphthol and Bismuth Compound _____
 Nasal _____
 Nasal, Improved _____
 Natestrin _____
 Nerve Tonic, No. 2 (Dr. Westbrook) _____
 (See Zinc Phosphide Compound 'Westbrook') _____
 Neuralgic _____
 Neuralgic (Gross) _____

 Neuralgic (Gross) without Morphine, $2\frac{1}{2}$ grs. _____

 Neuralgic Headache (Dr. Meyers) _____
 Neuralgic Idiopathic (Exempt) _____
 Neuralgic Idiopathic (Brown-Sequard) _____

 Neuralgic Idiopathic (Brown-Sequard), Half Strength _____

 Neuralgic Improved _____
 Neuralgic (Cook) _____
 Neuralgic (Kenyon) _____

 Neutralizer Wafers _____
 Nicotinic Acid, 20 mg. _____
 Nicotinic Acid, 50 mg. _____
 Nicotinic Acid, 100 mg. _____
 Nicotinic Acid Amide, 50 mg. _____
 Nicotinic Acid Amide, 100 mg. _____
 Nitroglycerin, 1/200 gr. _____
 Nitroglycerin, 1/150 gr. _____
 Nitroglycerin, 1/100 gr. _____

 Nitroglycerin, 1/50 gr. _____
 Nitroglycerin, No. 1 _____
 Nitroglycerin Compound, No. 2 _____

 Nitroglycerin Compound, No. 3 _____

 Nitroglycerin Compound, No. 4 _____
 Nitroglycerin Compound RxB (Gordinier) _____
 Heart Tonic (Gordinier) _____

CCT _____00-----17
 CT _____00---10
 CT _____00-----29
 CCT _____46-50
 TT _____93-----25

 CT _____00---10
 CT _____00---14
 CCT _____00-----20
 CT _____01---14
 CCT _____02-----25
 CT _____01-----23
 CCT _____18-25
 CT _____00---14
 CCT _____03-----20
 CT _____00-----20
 CCT _____01---20
 CCT _____04-----37

 TT _____93-----33
 CCT _____00-----37
 FW _____49-50
 CT _____42-48
 CT _____42--50
 CT _____42--50
 CT _____42--50
 CT _____46-50
 TT _____00-----46
 TT _____00-----42
 TT _____93-----50
 CCT _____00-----22
 TT _____93-----42
 TT _____93-----23
 TT _____93-----14
 CCT _____01---14
 TT _____00-----23
 CCT _____00-----23
 CCT _____00-----23
 CT _____10-----33

Nitroglycerin and Digitalis Compound, RxA (DaCosta)	TT	93	42
	CCT	00	50
Nitroglycerin Compound, RxA (DaCosta)			
Heart Stimulant 'DaCosta'			
Yellow 09-49; Brown 00-46;			
Nitroglycerin, Digitalis and Strychnine Compound,			
RxB (Gordinier)	CCT	10	42
Nitroglycerin Compound, RxB 'Gordinier'			
Heart Tonic 'Gordinier'			
Nutrachloric	CT		37 50
Alkalized Milk Powder			
Nux Vomica Powder, 1/1000 gr.	TT	93	10
Nux Vomica Powder, 1/500 gr.	TT	93	10
Nux Vomica Powder, 1/200 gr.	TT	93	10
Nux Vomica Powder, 1/100 gr.	TT	93	10
Nux Vomica Powder, 1/50 gr.	TT	93	14
Nux Vomica Powder, 1/20 gr.	TT	95	14
Nux Vomica Powder, 1/10 gr.	TT	93	14
Nux Vomica Powder, 1/8 gr.	TT	93	23
Nux Vomica Powder, 1/4 gr.	TT	93	23
Nux Vomica Powder, 1/2 gr.	TT	94	23
Nux Vomica, Extract, 1/8 gr.	TT	95	39
Nux Vomica, Extract, 1/4 gr.	TT	95	42
	CCT	00	42
Nux Vomica, Extract, 1/2 gr.	TT	00	23
Nux Vomica, FE, 1/2 min.	TT	00	14
Nux Vomica, FE, 1 min.	TT	93	23
Nux Vomica and Arsenic	TT	93	17
Nux Vomica and Charcoal, No. 1	TT	93	10
Nux Vomica and Charcoal, No. 2	TT	93	29
Nux Vomica and Ignatia Compound	CT	00	23
	CCT	00	23
Nux Vomica and Pepsin (Dr. Skiff)	TT	00	39
	CCT	00	14
Nux Vomica and Pepsin, No. 1 (Skiff)			
Nux Vomica and Pepsin	TT	93	42
	CCT	00	25
Nux Vomica and Pepsin, No. 2			

Obesity (Dr. Brewer) _____
 Opium, Powdered, 1/50 gr. _____
 Opium, 1/8 gr. _____
 Opium, Powdered, 1/4 gr. _____

 Opium, Powdered, 1/2 gr. _____

 Opium, Powdered, 1 gr. _____
 Opium Camphorated, Tincture, 5 mins _____
 Opium Camphorated, Tincture, 10 mins _____

 Opium Camphor _____
 Opium and Lead Acetate No. 1 _____
 Opium and Lead Acetate No. 2 _____
 Orthoxine Hydrochloride, 100 mg. _____
 Orthoxine Hydrochloride Abergie _____
 Otitis, No. 8 _____
 Ovarian Substance, Desiccated, 5 gr. _____

 Ox Gall and Nux Vomica Compound _____

 Ox Gall Compound _____
 Ox Gall, Pepsin and Pancreatin _____

CT _____01-09
 TT _____00-14
 TT _____95 only
 TT _____95 only
 CCT _____00-20
 TT _____95-20
 CCT _____95-20
 TT _____00-20
 TT _____93-23
 TT _____93-23
 CCT _____00-09
 TT _____00-23
 CT _____00-23
 TT _____93-14
 CT _____49-50

 FW _____14-8
 ICT _____37-44
 CCT _____23-48
 CT _____00-23
 CCT _____00-46

 CT _____00-09
 CCT _____00-09

PAC Compound	CT	22-----50
Phenacetin Compound, Preferred		
AAC Preferred		
(Migriane Preferred)		
White 22-50; Pink & Green 23-50;		
PAC Compound, Half Strength	CT	25-----50
Phenacetin Compound, Preferred Half Strength		
AAC Preferred, Half Strength		
(Migraine Preferred, Half Strength)		
White 25-44; Green 25-50;		
PAC Compound Abergic, White	CT	49-50
PAC Compound with Codeine Sulfate, 1/4 gr., brown	CT	31-----50
Phenacetin Compound, Preferred, with Codeine		
Sulfate, 1/4 gr.		
Phenacetin Compound, Preferred, with Codeine		
PAC Compound with Codeine Sulfate, 1/2 gr., brown	CT	39----50
Phenacetin Compound, Preferred, with Codeine		
Sulfate, 1/2 gr.		
PAC Compound with Codeine Sulfate 1/2 gr., abergic	CT	49-50
PAC with Cyclopal	CT	46-50
PAC with Cyclopal, Abergic	CT	49-50
PAD	CT	49-50
Pancreatin, Triple Strength, 5 gr.	ICT	39-42
Pancreatin Compound, white	CCT	04-----37
Paregoric Compound	TT	00-----20
Penicillin Calcium 50 M	CT	46-8
Penicillin Calcium 100 M	CT	46-8
Penicillin Calcium 500 Units	FW	46 only
Penicillin Calcium 1000 Units	FW	46-8
Penicillin G Crystalline Buffered, 50 M	CT	49-50
Penicillin G Crystalline Buffered, 100 M	CT	49-50
Penicillin G Crystalline Buffered, 250 M	CT	49-50
Penicillin G Crystalline Buffered, 100 M, abergic	CT	49-50
Penicillin G Crystalline Potassium 50 M, Soluble	MT	49-50
Penicillin G Crystalline Potassium 50 M, flavored	FT	49-50
Penicillin G Crystalline (Potassium salt), 5000 Units	FW	48-50
Penicillin G Crystalline (Sodium Salt), 100 M	CT	46-8
Penicillin G Crystalline (Sodium Salt), 250 M	CT	47-8
Penicillin G Potassium Buffered, 1,000 M	CT	49-50

Phenolax _____
 Phenolphthalein, 2 gr. _____
 Phenolphthalein 1/2, Calomel 1/2 _____
 Placebo _____

White, Purple, Yellow & Black 00-23;

Brown 01-23;

White, Purple, Yellow, Black, & Brown _____

(Blank Tablets)

Podophyllin, 1/40 gr. _____

Podophyllin, 1/20 gr. _____

Podophyllin, 1/16 gr. _____

Podophyllin, 1/10 gr. _____

Podophyllin, 1/8 gr. _____

Podophyllin, 1/5 gr. _____

Podophyllin, 1/4 gr. _____

Podophyllin, 1/2 gr. _____

Podophyllin Compound _____

Podophyllin Compound (Kenyon) _____

Hepatic 'Kenyon'

Podophyllin and Extract Leptandra _____

Potassium Arsenite Solution, 1 mins _____

Potassium Arsenite Solution, 2 mins _____

Potassium Arsenite Solution, 3 mins _____

Potassium Arsenite Solution, 5 mins _____

Potassium Arsenite Solution

Fowler's Solution

Potassium Bicarbonate, 39 gr. _____

Potassium Bromide, 2 gr. _____

Potassium Bromide, 5 gr. _____

Potassium Bromide, 10 gr. _____

Potassium Chlorate, 5 gr. _____

Potassium Chlorate and Ammonium Chloride _____

Potassium Chlorate and Borax _____

Potassium Chlorate and Cocaine _____

Voice

Potassium Chloride, 5 gr. _____

FW _____08 _____50

CT _____14 only

TT _____10-4

TT _____00 _____42

CCT _____07 _____23

TT _____00 _____10

TT _____00 _____20

TT _____95 _____10

TT _____95 _____23

TT _____95 _____42

CCT _____00 _____23

TT _____00 _____20

TT _____95 _____39

CCT _____00 _____39

TT _____95 _____39

TT _____00 _____25

TT _____93 _____37

CCT _____00 _____37

TT _____00 _____37

TT _____00 _____23

TT _____00 _____42

TT _____00 _____23

TT _____00 _____39

CT _____14 only

CT _____00 _____10

CT _____00 _____42

CT _____00 _____29

CT _____00 _____42

CT _____00 _____09

CT _____00 _____10

CT _____00 _____10

CT _____42-4

Potassium Iodide, 5 gr. _____
 Potassium Nitrate, 60 gr. _____
 Potassium Permanganate, 1 gr. _____
 Potassium Permanganate, 1.83 gr. _____
 Potassium Permanganate, 2 gr. _____
 Potassium Permanganate, 3 gr. _____
 Potassium Permanganate, 3.66 gr. _____
 Potassium Permanganate, 5 gr. _____
 Potassium Permanganate, 7.32 gr. _____
 Progesterone, 20 mg. _____
 Prohydrion _____
 Propyl Thiouracil, 50 mg. _____
 Pyridoxine Hydrochloride, 10 mg. _____
 Pyridoxine Hydrochloride, 50 mg. _____
 Pyrrolazote _____

Pyrrolazote Abergic

CT _____00=====46
 CT _____42 only
 CT _____00--09
 CT _____10=====46
 CT _____00--09
 CT _____00--09
 CT _____10=====48
 CT _____00-5
 CT _____10=====42
 CT _____49-50
 CT _____42--50
 CT _____46-50
 CT _____42--50
 CT _____47-50
 CCT _____49-50

Quinine Bisulfate, 1/2 gr. _____
 Quinine Bisulfate, 1 gr. _____
 Quinine Bisulfate, 2 gr. _____

Brown 00-05; White & Purple 07-09;

Quinine Bisulfate, 3 gr. _____

Brown 00-05; White 07-09;

Quinine Bisulfate, 4 gr. _____

Quinine Bisulfate, 5 gr. _____

Quinine and Chocolate, 1 gr. _____

Quinine and Chocolate, 2 gr. _____

Quinine Compound with Strychnine _____

Quinine and Dover's Powder _____

CT _____00--09
 CT _____00--09
 CCT _____00--09
 CT _____00--09
 CCT _____00--09
 CT _____00--09
 CCT _____00--09
 CT _____00--09
 CT _____00--09
 CCT _____00--09
 CT _____00--09
 CT _____00--09
 CCT _____01=====29
 CT _____00--09

Quinine and Hydrastis Compound (Dr. Wesley Allen)——
 Quinine and Iron and Zinc Valerianates——
 Quinine and Iron and Zinc Valerianates, Half Strength
 Quinine and Salol——
 Quinine Sulfate, 1/10 gr.——
 Quinine Sulfate, 1/4 gr.——
 Quinine Sulfate, 1/2 gr.——
 Quinine Sulfate, 1/2 gr.——
 Pink 00-14; Brown & White 07-14;
 Quinine Sulfate, 1 gr.——
 Quinine Sulfate, 1 gr.——
 Pink 00-14; White 07-14;
 Brown 00-42
 Quinine Sulfate, 2 gr.——
 Yellow 07-14; Pink 00-50;
 Brown 00-42; White 07-42;
 Quinine Sulfate, 3 gr.——
 Purple 00-14; White 10-14;
 Brown 00-50;
 Quinine Sulfate, 4 gr.——
 Brown 00-05; Pink 07-08;
 Quinine Sulfate, 5 gr.——
 Brown 00-49; Pink 00-14;
 White 07-14;

CCT ————04---14
 CCT ————01-----28
 CCT ————01-----17
 CT ————00-----42
 TT ————95 only
 TT ————95 only
 TT ————95-----14
 CCT ————00-----14

 TT ————95-----14
 CCT ————00-----42

 CT ————00-----49
 CCT ————00-----50

 CT ————00-----49
 CCT ————00-----50

 CT ————00--08
 CCT ————00-5

 CT ————00-----49
 CCT ————00-----50

Rheumatic without Mercury _____
 Rheumatic, No. 1 _____

 Rheumatic, Improved _____
 Rheumatism (Dr. Liggett) _____

 Rhinitis, Full Strength _____

 Belladonna and Camphor, Full Strength
 Belladonna, Quinine and Camphor, Full Strength
 (No Quinine Sulfate '49)
 Rhinitis, Half Strength _____

 Belladonna and Camphor, Half Strength
 Belladonna, Quinine & Camphor, Half Strength
 Rhubarb, Ipecac and Nux Vomica Compound (Goodkind) _____
 Rhubarb and Ipecac Compound, RxA (Goodkind)
 Rhubarb and Ipecac Compound, No. 4 (Goodkind)
 Rhubarb and Ipecac Compound (Roosevelt Hospital) _____
 Rhubarb and Ipecac Compound RxC
 (Roosevelt Hospital)
 Rhubarb and Ipecac and Nux Vomica Compound
 (Roosevelt) _____
 Rhubarb and Ipecac Compound, RxE
 Rhubarb and Ipecac Compound, No. 3
 Rhubarb and Soda RxA _____
 Rhubarb and Soda, No. 2
 (CT to '22)
 Rhubarb and Soda RxB _____

 Rhubarb and Soda, No. 1
 Rhubarb and Soda Compound, RxA _____

 Rhubarb and Soda Compound, No. 2
 Rhubarb and Ipecac Compound, No. 2
 Rhubarb and Soda Compound, RxH _____
 Rhubarb and Soda Compound, No. 1
 Rhubarb and Ipecac Compound, No. 1
 Riboflavin, 1 mg. _____
 Riboflavin, 5 mg. _____
 Rutin and Ascorbic Acid _____

CT _____00--09
 CT _____00--14
 CCT _____00-----20
 CCT _____01-----20
 CT _____07--20
 CCT _____00-----20
 TT _____00-----39
 CCT _____00-----50

 TT _____00-----39
 CCT _____00-----46

 CT _____02-----42

 CT _____00-----46

 CT _____10-----46

 TT _____00-----28

 CT _____00-----42
 CCT _____00-----23

 CT _____01-----31
 CCT _____01-----33

 CCT _____00-----42

 CT _____42-48
 CT _____44-50
 CT _____47-50

Saccharin, Soluble, 1/4 gr. _____ (TT to '33)	CT	_____29-----50
Saccharin, Soluble, 1/2 gr. _____ (TT to '33)	CT	_____01-----50
Saccharin, Soluble, 1 gr. _____ (TT to '33)	CT	_____01-----50
Salicin, 5 gr. _____	CT	_____00-----20
Salicyl with Colchicum _____ ASA with Colchicum _____ Rheumatic RxD _____ Rheumatic No. 4 _____	CT	_____18-----46
Salicyl and Phenacetin, Aromatic, orange _____ Pink 37-46;	CT	_____37-----50
Salicyl and Phenacetin Compound for Children _____ Salicyl Compound for Children _____ Cold for Children _____ (Aconite out '42)	CT	_____31-----50
Salicylic and Colchicum Compound, No. 2 _____ Salicylic Compound, No. 2 _____ Anti-Rheumatic No. 2 _____	CT	_____01-----48
Salicylic Acid, 1/4 gr. _____	TT	_____95 only
Salicylic Acid, 1/2 gr. _____	TT	_____95 only
Salicylic Acid, 3 gr. _____	CT	_____00-----23
Salicylic Acid, 5 gr. _____	CT	_____00-----42
Saline and Chalybeate Tonic _____	CT	_____00-----22
	CCT	_____00-----23
Salol, 1/10 gr. _____	TT	_____95-----23
Salol, 1/2 gr. _____	TT	_____95 only
Salol, 1 gr. _____	TT	_____93-----39
	CCT	_____00-----14
Salol, 2 1/2 gr. _____	CT	_____00-----42
	CCT	_____02-----18
Salol, 5 gr. _____	CT	_____00-----48
	CCT	_____00-----23
Salol Compound _____	CT	_____00-----20
Salol and Copaiba Compound _____	CCT	_____01--09
Santonin, 1/10 gr. _____	TT	_____94-----10
Santonin, 1/4 gr. _____	TT	_____00-----17
Santonin, 1/2 gr. _____	TT	_____00-----10
Santonin, 1 gr. _____	TT	_____00-----14

Santonin and Calomel _____
 Santonin and Calomel, No. 2 _____
 Worm (with cocoa and sugar) _____
 Santonin and Calomel, No. 3 _____
 Santonin and Calomel, Pink _____
 Santonin and Calomel, RxA _____
 Santonin and Calomel, No. 4 _____
 Santonin and Calomel, RxC _____
 Santonin and Calomel, No. 2 _____
 Santonin and Calomel, RxD _____
 Santonin and Calomel No. 1 _____
 Santonin and Podophyllin, No. 1 _____
 Santonin and Podophyllin, No. 2 _____
 Santonin and Podophyllin, No. 3 _____
 Saw Palmetto Compound _____
 Sedative, white _____
 Sedative, No. 2, brown or white _____
 Sedative (Dr. B. F. Baer) _____
 Sedative Compound _____
 Sedative Modified, RxD, pink _____
 Sedative Modified _____
 Sick Headache (Hale) _____
 Silver Nitrate and Nux Vomica Compound _____
 Silver Nitrate Compound, No. 2 _____
 Gastritis No. 2 _____
 Silver Nitrate, 1/4 gr. _____
 Soda Mint, 5 gr. _____
 Sodium Arsenate, 1/100 gr. _____
 Sodium Arsenate, 1/25 gr. _____
 Sodium Arsenate, 1/15 gr. _____
 Sodium Arsenate, 1/10 gr. _____
 Sodium Benzoate, 5 gr. _____

FW _____04-10
 ML _____04-_____42
 TT _____00-10
 ML _____04-_____39
 TT _____94-_____42
 TT _____00-_____50
 TT _____93-_____46
 CCT _____00-10
 TT _____00-14
 TT _____00-23
 TT _____00-22
 CT _____00-23
 CCT _____00-31
 CCT _____04-42
 CCT _____23-42
 CT _____00-23
 CCT _____00-46
 CT _____00-09
 CCT _____00-23
 CCT _____04-37
 TT _____93-29
 CCT _____01-39
 CCT _____01-25
 CT _____97-50
 CCT _____00-10
 TT _____95 only
 TT _____95 only
 TT _____95-14
 TT _____95-14
 CT _____09-42
 CCT _____00-08

Sodium Bicarbonate, 1.05 Gm. (16.2 grs.)	CT	18-31
Sodium Bicarbonate, 5 grs.	CT	00-50
Pink 15-50; White 00-50;		
Sodium Bicarbonate, 10 grs.	CT	00-50
Pink 22-50; White 00-50;		
Sodium Bicarbonate, 32.5 grs.	CT	33-39
Sodium Bicarbonate, 60 grs.	CT	42 only
Sodium Bicarbonate and Nux Vomica	CT	01-42
Sodium Bicarbonate and Nux Vomica Compound	CT	01-42
Sodium Bicarbonate and Paregoric Compound	CT	01-09
Sodium Bromide, 5 grs.	CT	00-48
Sodium Bromide, 10 grs.	CT	00-46
Sodium Chloride, 15½ grs.	CT	02-48
Sodium Chloride, pure, 15½ grs.		
(11 grs. to '14)		
Sodium Chloride and Dextrose	CT	39-50
Heat Tablets		
Sodium Nitrite, 1 gr.	TT	16-50
Sodium Nitrite and Sodium Thiosulfate, 10 grs., 35 grs.	CT	42 only
Sodium Phosphate Effervescent, 5 grs.	CT	01-09
Sodium Salicylate, 1 gr.	CT	00-09
aromatic pink	TT	01-23
Sodium Salicylate, 3 grs.	CT	00-42
Sodium Salicylate, 5 grs.	CT	00-50
	CCT	00-48
	ICT	37-50
aromatic pink	CT	07-50
Sodium Salicylate, 10 grs.	CT	39-50
	ICT	44-50
Sodium Salicylate and Acetanilid Compound	CT	01-09
Sodium Salicylate Compound	CT	01-23
	CCT	02-22
Sodium Succinate, 5 grs.	CT	08-46
Sodium Sulfocarbolates, 1 gr.	TT	00-20
Sodium Sulfocarbolates, 5 grs.	CT	00-31
Special Formula 21105, black	CCT	44-6
Special Formula, No. 1	CT	28-50
Cold (Upjohn)		
(Aconite out '42)		
Special Formula, No. 2, red or brown	CCT	15-50
Cold Special, No. 2		
(Acetanilid to phenacetin Quinine Sulfate and Aconite out)		
Spirymol Troches (Upjohn)	FW	33 only

Stomachic _____
 Stomachic (North) _____
 Stronamid _____
 Strontium Salicylate, 5 gr. _____
 Strophanthus Compound, No. 2 _____
 Strophanthus Tincture, 1/2 min _____
 Strophanthus Tincture, 1 min _____
 Strophanthus Tincture, 2 1/2 mins _____
 Strophanthus and Digitalis Tinctures _____

Strophanthus Compound No. 1
 Digitalis and Strophanthus

Strychnine Arsenate, 1/100 gr. _____
 Strychnine Arsenate, 1/32 gr. _____
 Strychnine Nitrate, 1/100 gr. _____
 Strychnine Nitrate, 1/60 gr. _____
 Strychnine Nitrate, 1/50 gr. _____
 Strychnine Nitrate, 1/40 gr. _____
 Strychnine Nitrate, 1/30 gr. _____
 Strychnine Nitrate, 1/20 gr. _____
 Strychnine Nitrate, 1/16 gr. _____
 Strychnine Phosphate, 1/100 gr. _____
 Strychnine Sulfate, 1/1000 gr. _____
 Strychnine Sulfate, 1/500 gr. _____
 Strychnine Sulfate, 1/200 gr. _____
 Strychnine Sulfate, 1/120 gr. _____
 Strychnine Sulfate, 1/100 gr. _____
 Strychnine Sulfate, 1/100 gr., full size _____
 Strychnine Sulfate, 1/100 gr., red small _____
 Strychnine Sulfate, 1/60 gr. _____
 Strychnine Sulfate, 1/60 gr., brown large _____
 Strychnine Sulfate, 1/60 gr., red small _____
 Strychnine Sulfate, 1/50 gr. _____
 Strychnine Sulfate, 1/50 gr., red small _____
 Strychnine Sulfate, 1/50 gr., full size _____

TT _____14-----37
 CCT _____14-----29
 CT _____00-----29
 CCT _____00-----29
 CT _____33-----48
 CT _____05-----44
 CT _____94-----09
 TT _____93-----14
 TT _____95-----14
 TT _____00-----23
 TT _____94-----33
 CCT _____00-----23

TT _____00-----29
 TT _____00-----42
 TT _____00-----09
 TT _____00-----39
 CCT _____02-----23
 TT _____00-----23
 CCT _____00-----14
 TT _____00-----39
 CCT _____02-----23
 TT _____00-----39
 CCT _____01-----23
 TT _____00-----23
 TT _____00-----14
 CCT _____00-----23
 TT _____93-----20
 TT _____93-----20
 TT _____93-----28
 TT _____00-----23
 TT _____93-----42
 CCT _____00-----23
 CCT _____02-----23
 TT _____93-----50
 CCT _____00-----46
 CCT _____02-----39
 TT _____94-----42
 CCT _____02-----39
 CCT _____00-----23

Strychnine Sulfate, 1/40 gr. _____
 Strychnine Sulfate, 1/40 gr., brown large _____
 Strychnine Sulfate, 1/40 gr., red small _____
 Strychnine Sulfate, 1/32 gr. _____
 Strychnine Sulfate, 1/30 gr. _____
 Strychnine Sulfate, 1/30 gr., brown large _____
 Strychnine Sulfate, 1/30 gr., red small _____
 Strychnine Sulfate, 1/20 gr. _____
 Strychnine Sulfate, 1/20 gr., full size _____
 Strychnine Sulfate, 1/20 gr., red small _____
 Strychnine Sulfate, 1/16 gr. _____
 Sulfadiazine, 7.7 gr., abergic _____
 Sulfadiazine, 7.7 gr. _____
 Sulfadiazine and Sodium Bicarbonate _____
 Sulfamerazine, 7.7 gr. _____
 Sulfanilamide, 1 gr. _____
 Sulfanilamide, 5 gr. _____
 Sulfanilamide, 7 1/2 gr. _____
 Sulfanilamide, 30 gr. _____
 Sulfanilamide with Sodium Bicarbonate _____
 Sulfapyridine, 7.7 gr. _____
 Sulfathiazole, 3.85 gr. _____
 Sulfathiazole, 7.7 gr. _____
 Sulfathiazole and Beta Lactose _____
 Sulfocarbolates Compound _____
 Intestinal Antiseptic Improved _____
 Intestinal Improved _____
 Sulfur, 5 gr. _____
 Sulfur, 10 gr. _____
 Sulfur and Arsenic Compound _____
 Sulfur Compound _____
 Sulfur and Cream of Tartar _____
 Sumbul Compound (Goodell) _____

 Sun Cholera Exempt _____

 Sun Mixture _____

 Sun Cholera _____
 Suprarenal Gland, Desiccated, .2 gr. _____

TT —93-----49
 CCT —00-----46
 CCT —02-----39
 TT —00-----14
 TT —93-----50
 CCT —00-----46
 CCT —02-----39
 TT —93-----39
 CCT —00-----23
 CCT —02-----23
 TT —93-----20
 CT -----49-50
 CT -----42--50
 CT -----44-50
 CT -----44-50
 CT -----39--46
 CT -----39--48
 CT -----39--49
 CT -----42 only
 CT -----42-6
 CT -----42 only
 CT -----42--50
 CT -----42--50
 CT -----46-50
 TT -----04-----42
 CT -----00-----14
 CT -----01--09
 CT -----00-----42
 CT -----00-----42
 CT -----00-----14
 CCT -----00-----23
 CT -----17-8
 CCT -----17--25
 CT -----00-----23
 CCT -----00-----42
 CT -----23--33

Throat, (Mentholated) _____
 Throat, Mentholated, Improved _____
 Throat, (Dr. Quinlan) _____
 Throat Troches _____
 Throat Troches (compressed) _____
 Thymol, Acetanilid and Mercury Compound _____
 Thymol-Acetanilid Compound _____
 Sore Throat _____
 (Tc Aconite out '48) _____
 Thymus Gland, Desiccated, 2 gr. _____
 Thyroid, 1/10 gr. _____
 Thyroid, 1/8 gr. _____
 Thyroid, 1/4 gr. _____

 Thyroid, 1/2 gr. _____
 Thyroid, 1 gr. _____

 Thyroid, 1 gr., abergic _____
 Thyroid, 2 gr. _____
 Thyroid, 3 gr. _____
 Thyroid, 5 gr. _____
 Thyroid B Compound _____
 Thyroid-Ovarian Compound _____
 Tonic, No. 1 (No. 9) _____
 Tonic (Aitken) _____

 (Extract Gentian out '42) _____
 Tonic for Children No. 1 _____

 Tonic for Children No. 2 _____

 Brown 07-33 _____
 Tonic, Vegetable _____
 Trifolium Compound _____
 Triple Bromides, No. 1 _____
 Triple Bromides, No. 2 _____
 Triple Bromides and Hyoscyamus _____
 Sedative Special _____
 (Tc Cannabis out '33) _____

CT _____00-----23
 CT _____15-----48
 CT _____00--09
 ML _____93-----39

 CT _____07-----48

 CCT _____23--31
 CT _____44-6
 TT _____22-----42
 CT _____42-6
 ICT _____42 only
 CT _____37-----50
 CT _____14-----50
 ICT _____37-----50
 CT _____49-50
 CT _____14-----50
 ICT _____42 only
 ICT _____42 only
 CT _____49-50
 ICT _____37-----50
 FW _____14 only
 CT _____00-----39
 CCT _____00-----42

 TT _____02-----31
 CCT _____01-----31
 TT _____01-----14
 CCT _____01-----42

 CCT _____00--09
 CT _____00-----23
 CT _____00-----48
 CT _____00-----50
 CT _____04-----48

Triple Sulfocarbolates RxA	CT	07-----42
Triple Sulfocarbolates, No. 2		
Triple Sulfocarbolates RxB	CT	07-----42
Triple Sulfocarbolates, No. 1		
Trypsin, Purified, 5 grs.	ICT	-----37-42
Tully's Powder (Morphine Powder Compound USP), 1 gr.	TT	00-----20
Tully's Powder (Morphine Powder Compound USP), 2 $\frac{1}{2}$ grs.	CT	10-4
Tully's Powder (Morphine Powder Compound USP), 5 grs.	CT	10-----23
Typhoid Fever (Dr. Daly)	CCT	01-----23
Uterine Astringent and Antiseptic	CT	00-----20
Veratrine, 1/32 gr.	TT	95-----14
Veratrum Viride, Tincture, 4 mins	TT	93-----23
Veratrum Viride, Tincture, 8 mins	TT	95-----23
Viburnum Compound	CT	00-----31
	CCT	00-----31
Viburnum Compound (Uterine Tonic)		
Viburnum and Helonias Compound, brown	CCT	-----44-6
Vitamin B Complex	CCT	-----46-50
Voice	CT	00---10
(Differs from Potassium Chlorate & Cocaine 'Voice')		

Warburg's Tincture _____

 Warburg's Tincture without Aloe _____

 White Pine Compound _____

 Whooping Cough _____
 Whooping Cough, No. 4 _____

CT _____00-----23
 CCT _____00-----39
 CT _____00-----23
 CCT _____02-----31
 FW _____04-9
 CT _____01-5
 CCT _____00-----23
 TT _____10----23

Yeast Tablets _____

CT _____37-----50

Zantrate _____
 Zinc Phosphide, 1/10 gr. _____
 Zinc Phosphide, 1/8 gr. _____
 Zinc Phosphide, 1/6 gr. _____
 Zinc Phosphide, 1/4 gr. _____
 Zinc Phosphide, 1/2 gr. _____
 Zinc Phosphide Compound (Westbrook) _____

CT _____46-50
 TT _____00-----23
 TT _____00----14
 TT _____00----14
 TT _____00----14
 TT _____00----17
 TT _____93-----25
 CCT _____00-----37

Zinc Phosphide Nux & Iron 'Westbrook'
 Nerve Tonic No. 1 'Dr. Westbrook'
 (See Nerve Tonic, No. 2)
 Zinc Phosphide and Nux Vomica _____

 Zinc Sulfate and Alum Compound _____
 Zinc Sulfate Compound, No. 1
 Uterine Astringent
 Uterine without Morphine

TT _____93-----23
 CCT _____00-----33
 CT _____15-----42

Zinc Sulfate and Borate Compound_____	CT	_____00_____42
Zinc Sulfate Compound, No. 2		
Vaginal Astringent, RxA		
Vaginal Astringent		
Zinc Sulfocarbolate, 1/2 gr._____	TT	_____00_____23
Zinc Sulfocarbolate, 1 gr._____	TT	_____00_____25
Zinc Sulfocarbolate, 2 gr._____	CT	_____00_____29
Zinc Sulfocarbolate, 5 gr._____	CT	_____00_____33
Zinc Sulfocarbolate Compound_____	CCT	_____01_09
Zinc Sulfocarbolate and Aloin_____	TT	_____00_____23

