

A and D Vitamin _____
 A-B-D-G Vitamin _____
 Accessorone _____
 Acetanilid, Bromide and Codeine Compound _____
 Acetonyl _____
 Acetylsalicylic Acid, 1 gr., aromatic pink,
 (labeled "Aspirin") _____
 Acetylsalicylic Acid, 5 grs., white
 (labeled "Aspirin") _____
 Acetylsalicylic Acid, 5 grs., green, pink, or white _____
 Acetylsalicylic Acid, 5 grs., aromatic brown _____
 Acetylsalicylic Acid, 5 grs., Abergio _____
 Acid Carbolio, Nutgall and Atropine Compound _____
 Acid Carbolio, Opium and Nutgall Compound _____
 Out 15-28
 Aconite, N.F. _____
 Adrenal Cortex Extract _____
 Aletris and Helonias Compound _____
 Alkaline Aromatic (Seiler), pink _____
 MT to '28
 Alkaline Effervescent _____
 Allantoin Compound _____
 Aloin, Belladonna, Cascara and Podophyllum (Hinkle),
 N.F., pink _____
 Aloin, Belladonna, Cascara and Podophyllum (Hinkle),
 pink _____
 With Strychnine Sulfate '00
 Alpha Tocopherol, 100 mg. _____
 Aluminum Hydroxide Gel (Upjohn) _____
 Aminopyrine, 5 grs. _____
 Aminopyrine and Phenobarbital Compound _____
 Aminopyrine and Phenobarbital Compound _____
 Ammonia, Aromatic, U.S.P. _____
 Ammonium Chloride, 7½ grs. _____
 CT & TT other grainage 00
 Anachloric A _____
 Anachloric B _____
 Anachloric C _____
 Anachloric D _____

SEC _____ 42
 SEC _____ 42
 Fluid _____ 33
 Elix _____ 42
 GES _____ 29
 CT _____ 23
 CT _____ 42
 CT _____ 07
 CT _____ 37
 CT _____ 49
 Oint _____ 42
 Oint _____ 05
 To _____ 99
 SS _____ 35
 Elix _____ 42
 CT _____ 97
 CT _____ 37
 Oint _____ 42
 Pills _____ 37
 CCT _____ 22
 SEC _____ 49
 Fluid _____ 42
 CT _____ 31
 Elix _____ 36
 CT _____ 31
 Spirit _____ 14
 ICT _____ 37
 CT _____ 25
 CT _____ 25
 CT _____ 25
 CT _____ 25

Anachloric E _____
 Anachloric F _____
 Anachloric G _____
 Analgesic Balm _____
 Aqua-B _____
 Arnica, N.F. _____
 Asafetida, 5 grs., brown _____
 Asafetida, Cascara and Nux Vomica Compound, yellow _____
 Ascorbic Acid, 100 mg. _____
 Ascorbic Acid, 500 mg. _____
 Ascorbic Acid, 1000 mg. _____
 Ascorbic Acid, 25 mg. _____
 Ascorbic Acid, 50 mg. _____
 Ascorbic Acid, 100 mg. _____
 Ascorbic Acid, 250 mg. _____
 Astringent Compound _____
 Atropine Sulfate, 1/150 gr. _____
 Atropine Sulfate, 1/1000 gr. _____
 Out 12-30, other grainages in

CT _____ 28
 CT _____ 29
 CT _____ 29
 Oint _____ 33
 SS _____ 46
 Te _____ 10
 CCT _____ 00
 CT _____ 14
 SS _____ 44
 SS _____ 44
 SS _____ 46
 CT _____ 42
 CT _____ 42
 CT _____ 42
 CT _____ 46
 Po. _____ 29
 HT -86
 TT _____ 94

B Ferrated _____
 Bacidrin _____
 Baciguent _____
 Baciguent _____
 Bacitracin-Topical, 2000 Units _____
 Bacitracin-Topical, 10,000 Units _____
 Bacitracin-Topical, 50,000 Units _____
 Baci-Troche, 1000 Units _____
 Barbitol, 5 grs. _____
 Belladonna, U.S.P. _____
 Belladonna, Quinine and Camphor, Full-Strength, brown-
 Benedict's Test (Qualitative) _____
 Benzoin, U.S.P. _____
 Benzoin Compound (For making tincture) _____
 Benzoin Compound, U.S.P. _____

Elix _____ 48
 Po. _____ 48
 Oint _____ 49
 O Oint _____ 49
 S.Po. _____ 48
 S.Po. _____ 48
 S.Po. _____ 48
 FW _____ 49
 CT _____ 22
 Te _____ 99
 CCT _____ 00
 Solu _____ 17
 Te _____ 02
 Fluid _____ 99
 Te _____ 02

Benzo-salicylic Compound (Upjohn) _____
 Benzo-salicylic Compound Milder (Upjohn) _____
 Berubigen, 25 micrograms _____
 Berubigen, 10 micrograms per cc _____
 Berubigen-Refined, 150 micrograms _____
 Betascorbate Tablets, yellow _____
 Bismuth, Calomel and Ipecac Compound, No. 2 (Ives) _____
 Bismuth Ethylcamphorate _____
 Bismuth Subsaliolate in Oil with Chlorobutanol 3% _____
 Bismuth-Sulfocarbolate Compound, Corrective _____
 Bland, 5 grs., black _____
 Bone Phosphates, Purified _____
 Bone Phosphates, Purified _____
 Boric Acid, 10% _____
 Boric Acid, U.S.P. _____
 Bromides Compound, No. 1 _____
 Bromides Compound, No. 3 _____
 Bromionyl _____
 Bromionyl with Acetylsalicylic Acid _____
 Bromionyl with Barbitol _____
 Buchu, Juniper and Potassium Acetate, N.F. _____
 Buchu, Juniper and Potassium Acetate, No. 1 _____

Caffeine with Sodium Benzoate, 0.5 Gm ($7\frac{1}{2}$ grs.) _____
 Calamoin _____
 Calbrodein _____
 Calcium Chloride, 1 Gm. ($15\frac{1}{2}$ grs.) _____
 Calcium Gluconate, 15 grs. _____
 Calcium Gluconate, 1 Gm. (10% w/v) _____
 Calcium Lactate, 5 grs. _____
 Calcium Lactate, 10 grs. _____
 Calcium Pantothenate, 10 mg. _____
 Calmulsion _____

Oint _____ 28
 Oint _____ 36
 HFC _____ 50
 SS _____ 49
 S.Po. _____ 50
 CT _____ 42
 TT _____ 01
 SS _____ 35
 S.Sus. _____ 36
 Fluid _____ 23
 Pills -88
 FW _____ 37
 Powder _____ 39
 O Oint _____ 23
 Oint _____ 05
 Elix _____ 33
 Elix _____ 00
 GES _____ 28
 GES _____ 28
 GES _____ 28
 Elix _____ 42
 Elix _____ 99

SS _____ 18
 Oint _____ 28
 Syr _____ 28
 SS _____ 29
 FW _____ 33
 SS _____ 31
 CT _____ 15
 CT _____ 37
 CT _____ 44
 Fluid _____ 44

Calomel, 1/10 gr., aromatic, pink _____
 Calomel, 1 gr., aromatic, pink _____
 Other grainages '93
 Calomel, Rhubarb and Colocynth Compound, white _____
 White since '48--Before Brown
 Calophen, One-tenth _____
 Calophen, One-fourth _____
 Calophen, One-half _____
 Calophen, One _____
 Camolliens, Lotion _____
 Camollient Cream _____
 Camphor, N.F. _____
 Camphor, U.S.P. _____
 Camphor and Soap, U.S.P. _____
 Carbromal, 5 grs. _____
 Carica Compound, 5 grs. _____
 Carica Compound, 7 grs. _____
 Carica with Glycerophosphate, 7 grs. _____
 Caripeptic Liquid _____
 Cascara Aromatic, Upjohn _____
 Cascara Sagrada, U.S.P. _____
 Cascara Sagrada, Aromatic, U.S.P. _____
 Out 15-38
 Cascara Sagrada Extract, 5 grs., brown _____
 Other grainages '00
 Casyllium _____
 Cathartic Compound, N.F., black _____
 Cathartic Vegetable, 1 $\frac{1}{4}$ grs., black _____
 Cebefortis Tablets, red _____
 Cerelexin Compound, white _____
 Cerelexin _____
 Cheracol _____
 Chloral and Potassium Bromide Compound _____
 Chlorguanide Hydrochloride, 115 mg. _____
 Chloroform, U.S.P. _____
 Cholatul, blue _____
 Cholatul Compound, orange _____
 Yellow to '37
 Choline Chloride _____

TT _____ 02
 TT _____ 02
 CT _____ 22
 TT _____ 09
 CT _____ 25
 CT _____ 25
 CT _____ 25
 Fluid _____ 48
 Oint _____ 46
 Spirit _____ 23
 Liniment _____ 14
 Liniment _____ 05
 CT _____ 37
 CT _____ 07
 CT _____ 04
 CT _____ 20
 Fluid _____ 02
 FE _____ 08
 FE _____ 97
 FE _____ 97
 CCT _____ 07
 Granule _____ 46
 Pills _____ 20
 Pills -89
 CCT _____ 46
 CCT _____ 37
 Syr _____ 42
 Syr _____ 05
 Elix _____ 99
 CT _____ 49
 Liniment _____ 20
 HFC _____ 33
 HFC _____ 33
 Syr _____ 48

Chorionic Gonadotropin, 5000 International Units—
 Cidicool—
 Cinchophen, $7\frac{1}{2}$ grs.—
 Citrasulfas—
 Citrasulfas M—
 Citrocarbonate—
 Citrocarbonate—
 Citrocarbonate—
 Clocream—
 Cocaine Hydrochloride, $1\frac{1}{8}$ grs.—
 TT to '14
 Other grainages--'93
 Codeine Phosphate, $\frac{1}{2}$ gr.—
 Codeine Phosphate, 1 gr.—
 Codeine Sulfate, $\frac{1}{4}$ gr.—
 Codeine Sulfate, $\frac{1}{2}$ gr.—
 Codeine Sulfate, 1 gr.—
 Codeine Sulfate, $\frac{1}{4}$ gr.—
 Codeine Sulfate, $\frac{1}{2}$ gr.—
 Codeine Sulfate, 1 gr.—
 Cold Cream—
 Corenta—
 Cortalex—
 Creosotone—
 Cresol Saponated, U.S.P.—
 Cryobeta—
 Cyclogesterin—
 Cyclogesterin—
 Cyclopal, $\frac{3}{4}$ gr., brown—
 Cyclopal, $2\frac{1}{4}$ grs., brown—
 Cyclopal and Aspirin—

S.Po. ————— 43
 Syr ————— 42
 CT ————— 22
 Fluid ————— 48
 Fluid ————— 49
 GES ————— 22
 Syr ————— 42
 ET ————— 42
 Oint ————— 42
 MT ————— 00

 HT ————— 01
 HT ————— 37
 HT ————— 93
 HT ————— 05
 HT ————— 37
 TT ————— 00
 TT ————— 00
 MT ————— 00
 Oint ————— 05
 Fluid ————— 02
 CT ————— 42
 Syr ————— 08
 Solu ————— 14
 Po. ————— 47
 SAS ————— 48
 SS ————— 45
 HFC ————— 42
 HFC ————— 42
 CT ————— 42

Dehydrocholic Acid, 3-3/4 grs.	CT	42
Depletory Vaginal	Supp	16
Depo-Heparin Sodium, 200 mg.	SS	49
Depo-Heparin Sodium, 200 mg., with Vasoconstrictors	SS	49
Depo-Penicillin, 300,000 units per cc	S.Sus.	48
Depo-Penicillin, Fortified, 400,000 units per cc	S.Sus.	49
Derm-Anodyne	Oint	07
Desoxycorticosterone Acetate, 5 mg. per cc	SS	49
Dextrolac, No. 2	Fluid	29
Dextrose (d-Glucose), 10 Gm. (155 grs.)	SS	28
Dextrose (d-Glucose), 25 Gm. (386 grs.)	SS	29
Dextrose (d-Glucose), 50 Gm. (772 grs.)	SS	29
Dextrose 5% w/v in Water for Injection	IS	38
Dextrose 10% w/v in Water for Injection	IS	39
Dextrose 20% w/v in Water for Injection	IS	39
Dextrose 5% w/v in Isotonic Solution of Sodium Chloride	IS	38
Dextrose 10% w/v in Isotonic Solution of Sodium Chloride	IS	38
Dextrose 5% w/v in Ringer's Solution	IS	39
Dextrose 10% w/v in Ringer's Solution	IS	39
Dextrose 5%-B in Saline	IS	46
Dicumarol, 100 mg.	CT	49
Diethylstilbestrol, 0.1 mg., light green	SEC	42
Diethylstilbestrol, 0.25 mg., green	SEC	44
Diethylstilbestrol, 0.5 mg., blue-green	SEC	42
Diethylstilbestrol, 1.0 mg., blue	SEC	42
Diethylstilbestrol, 5.0 mg., purple	SEC	44
Diethylstilbestrol, 0.5 mg.	SS	41
Diethylstilbestrol, 1.0 mg.	SS	41
Digitalis, U.S.P.	Tc	99
Out '26-'36		
Digitalis Injection	SS	37
Digitora, 0.85 gr.	CT	19
Digitora, 1.28 grs.	CT	28
Digitoxin, 0.1 mg.	CT	46
Digitoxin, 0.2 mg.	CT	46
Dihydrostreptomycin, 1 Gm.	S.Po.	48
Dihydrostreptomycin, 5 Gm.	S.Po.	49
Diostate	CT	42
Diostate, Abergic	CT	49

Diostate D _____
 Diostate D, ferrous _____
 Diurnal-Penicillin, for Aqueous Injection _____
 Diurnal-Penicillin, Fortified, for Aqueous Injection _____
 Diurnal-Penicillin, Readimixed, 300,000 units per cc _____
 Dover's Powder with Acetylsalicylic Acid and _____
 Phenacetin _____

CT _____ 44
 CT _____ 46
 S.Po. _____ 49
 S.Po. _____ 49
 SAS _____ 49
 CT _____ 42

Emeracol _____
 Emetine Hydrochloride, 0.032 Gm. ($\frac{1}{2}$ gr.) _____
 Emulserol (Plain) _____
 Emulserol with Cascara _____
 Enterogastrone Hydrochloride, 200 mg. _____
 Ephedrate, Abergic _____
 Ephedrate '44 _____
 Ephedrate _____
 Ephedrine Sulfate, $\frac{3}{8}$ gr., Abergic, white _____
 Ephedrine Sulfate, $\frac{3}{8}$ gr., pink _____
 Ephedrine Sulfate, $\frac{3}{8}$ gr., pink _____
 Ephedrine Sulfate, $\frac{3}{4}$ gr., pink _____
 Ephedrine Sulfate, 0.05 Gm. ($\frac{3}{4}$ gr.) _____
 Ephedrine and Mercarbolid _____
 Epinephricaine _____
 Epinephricaine _____
 Epinephrine Injection, 1:1000 _____
 Ergaloid _____
 Ergophene _____
 Ergot, N.F. _____
 Ergot-Aloe Compound, No. 4, black _____
 Ergotora _____
 Essence of Pepsin _____
 Ethyl Chloride, C.P. (Gebauer Patent) _____
 Expectorant, N.F. _____
 Extract of Liver, U.S.P., brown _____

Syr _____ 31
 SS _____ 17
 Fluid _____ 33
 Fluid _____ 33
 S.Po. _____ 47
 CT _____ 44
 HFC _____ 42
 CT _____ 49
 HFC _____ 33
 HFC _____ 33
 HFC _____ 33
 SS _____ 29
 Solu _____ 36
 Oint _____ 42
 Supp _____ 48
 SS _____ 33
 SS _____ 45
 Oint _____ 16
 FE _____ 97
 Pill _____ 29
 CT _____ 37
 Fluid _____ 99
 Chem _____ 20
 Mixture _____ 36
 HFC _____ 33

Ferrated Liver Concentrate, green _____
 Ferrated Liver Concentrate, green _____
 Ferrated Liver Concentrate with Folic Acid, red _____
 Ferric Ammonium Citrate, $7\frac{1}{2}$ grs., brown _____
 Ferric Chloride, N.F. _____
 Ferrone _____
 Ferrous Chloride (Upjohn) _____
 Ferrous Iodide (Iron Iodide) _____
 Ferrous Sulfate, 5 grs., brown _____
 Folic Acid, 5 mg. _____
 Formohydrion _____
 Formohydrion, Five _____
 Formohydrion Two--'22 _____
 Formohydrion, Seven and One-half _____

Gelfoam, Size 12 _____
 Gelfoam, Size 100 _____
 Gelfoam, Size 200 _____
 Gelfoam Compressed, Size 100 _____
 Gelfoam Dental Packs _____
 Gelfoam Packs, Size 2 cm. _____
 Gelfoam Packs, Size 6 cm. _____
 Gelfoam Prostatectome Cones, Size 13 cm. _____
 Gelfoam Prostatectome Cones, Size 18 cm. _____
 Gelfoam Tumor Diagnosis Kit _____
 Geltabs, Vitamin D, 50,000 U.S.P. units _____
 Gentian Compound, U.S.P. _____
 Glycerophosphate and Cacodylate Compound, RxA _____
 Glycerophosphate and Cacodylate Compound, RxA
 Double Strength _____
 Glycerophosphate and Cacodylate Compound, RxA _____
 Glycerophosphates Compound, No. 1 _____

HFC _____ 42
 CCT _____ 44
 CCT _____ 49
 HFC _____ 33
 To _____ 02
 Elix _____ 36
 Elix _____ 42
 Syr _____ 99
 CCT _____ 39
 CT _____ 49
 GES _____ 22
 CT _____ 25

 CT _____ 42

Sterile _____ 45
 Sterile _____ 47
 Sterile _____ 47
 Sterile _____ 49
 Sterile _____ 49
 Sterile _____ 49
 Sterile _____ 49
 Sterile _____ 49
 Sterile _____ 49
 Sterile _____ 49
 SEC _____ 44
 To _____ 02
 SS _____ 18

 SS _____ 21
 SS _____ 25
 Elix _____ 08

Gonadogen, 10 Cartland-Nelson units (approx. 200
Int. units) per vial—
Gonadogen, 20 Cartland-Nelson units (approx. 400
Int. units) per vial—
Gonadogen, 50 Cartland-Nelson units (approx. 1000
Int. units) per vial—
Gonadogen, 250 Cartland-Nelson units (approx. 5000
Int. units) per vial—
Green Soap, U.S.P. _____
Green Soap (Upjohn) _____
Guaiocaine _____

Halibut Liver Oil _____
Hand Lotion _____
Heparin Sodium, 1000 units per cc _____
Heparin Sodium, 10,000 units per cc _____
Hexatone _____
Hydriodic Acid, U.S.P. _____
Hydriodic Acid (Upjohn) _____
Hydrionic, pink _____
Hyoscyamus, U.S.P. _____

Ichthammol, N.F. (10%) _____
Ichthammol, 20% _____
Imbicoll with Casoara _____
Imbicoll with Vitamin B1 _____
Impenetro Sheets, Sterilized _____
Impenetro Sheets, Unsterilized _____

S.Po. _____ 39
S.Po. _____ 42
S.Po. _____ 48
S.Po. _____ 49
Tc _____ 10
Tc _____ 44
FW _____ 31

SEC _____ 39
Fluid _____ 25
SS _____ 42
SS _____ 48
Elix _____ 08
Syr _____ 39
Syr _____ 17
HFC _____ 37
Tc _____ 02

Oint _____ 42
Oint _____ 44
Granule _____ 39
Granule _____ 39
Supply _____ 14
Supply _____ 14

Influenza Mixed _____
 Infusion-Transfusion Equipment _____
 Iodide, Mercury, Arsenic and Iron Compound, pink _____
 Iodide, U.S.P. _____
 Iodide, Strong, N.F. _____
 Iodized Lime, aromatic, 1/3 gr. _____
 Iodized Lime, aromatic, 1 gr. _____
 Iodized Lime, aromatic, 2 grs. _____
 Iodized Lime '08 _____
 Out 09-21 _____
 Ipecac, U.S.P. _____
 Iron Cacodylate, 0.065 Gm. (1 gr.) _____
 Iron Cacodylate, 0.065 Gm. (1 gr.) _____
 Iron, Quinine and Strychnine Phosphates, N.F. _____
 Out '15-'27 _____
 Iron and Strychnine Phosphates (Upjohn) _____
 Out '15-'41 _____
 Iron, Strychnine, Arsenic and Mercury Compound, red _____
 Isotonic Solution of Sodium Chloride _____

Jeculin _____
 Jeculin _____

Kaopectate _____

Vaccine _____ 22
 Sterile _____ 38
 Pills _____ 20
 Tc _____ 05
 Tc _____ 48
 CT _____ 37
 CT _____ 37
 CT _____ 37

 Syr _____ 99
 SS _____ 23
 SS _____ 25
 Elix _____ 99

 Elix _____ 99

 Pills _____ 06-14
 IS _____ 38

Fluid _____ 33
 HFC _____ 37

Fluid _____ 36

Methadone Hydrochloride, 10 mg. per cc _____
 Methadone Hydrochloride, 10 mg. _____
 Methadone Hydrochloride, 2.5 mg. _____
 Methadone Hydrochloride, 5.9 mg. _____
 Methadone Hydrochloride, 10.0 mg. _____
 Methamphetamine Hydrochloride _____
 Methamphetamine Hydrochloride, 5 mg. _____
 Methenamine, 5 grs. _____
 Methenamine, 7½ grs. _____
 Methyltestosterone, 10 mg. _____
 Methyltestosterone, 25 mg. _____
 Mineral Oil, White, U.S.P. (Heavy) _____
 Mineral Oil, White, U.S.P. (Heavy), with Vitamin A _____
 Morphine Hydrochloride, Aromatic _____
 Morphine Sulfate, 1/6 gr. _____
 Morphine Sulfate, 1/4 gr. _____
 Morphine Sulfate, 1/2 gr. _____
 Morphine Sulfate, 1/4 gr. _____
 Morphine and Atropine, RxH _____
 Myeladol _____
 Myringacaine _____

SS _____ 49
 HT _____ 49
 CT _____ 49
 CT _____ 49
 CT _____ 49
 Elix _____ 49
 CT _____ 50
 CT _____ 07
 CT _____ 07
 CT _____ 49
 CT _____ 49
 Fluid _____ 20
 Fluid _____ 42
 Elix _____ 36
 HT -86
 HT -86
 HT _____ 99
 SS _____ 35
 HT -86
 Fluid _____ 31
 Fluid _____ 49

Nasal _____
 Natestrin, red _____
 Neutralizer _____
 Neutralizing, N.F. _____
 Neutralizing Improved _____
 Nicolexin, black _____
 Nicotinic Acid, 50 mg. _____
 Nicotinic Acid, 100 mg. _____
 Nicotinic Acid Amide, 100 mg. per cc _____
 Nicotinic Acid Amide, 50 mg. _____
 Nicotinic Acid Amide, 100 mg. _____
 Nikethamide, 25% w/v, Oral _____

Oint _____ 16
 CCT _____ 46
 FW _____ 49
 Cordial _____ 99
 Cordial _____ 04
 HFC _____ 42
 CT _____ 42
 CT _____ 42
 SS _____ 45
 CT _____ 42
 CT _____ 46
 Fluid _____ 44

Nikethamide, 25% w/v _____
 Nitroglycerin, 1/150 gr. _____
 Nitroglycerin, 1/100 gr. _____
 Nitroglycerin, 1/100 gr. _____
 Nitroglycerin and Digitalis Compound, RxA
 (DaCosta), yellow _____
 Coated since '00 _____
 Nutrachloric _____
 Nux Vomica (Upjohn) _____

Opium, U.S.P. _____
 Opium, Camphorated, U.S.P. _____
 Opium and Glycyrrhiza Compound, N.F. _____
 Oral Pentacresol 1:1000 _____
 Orthoxicol _____
 Orthoxine Hydrochloride _____
 Orthoxine Hydrochloride, 100 mg. _____

SS _____ 40
 HT _____ 05
 HT _____ 93
 TT _____ 93
 CCT _____ 93
 CT _____ 37
 Tc _____ 99

Tc _____ 99
 Tc _____ 99
 Mixture _____ 20
 Fluid _____ 42
 Fluid _____ 49
 Syr _____ 49
 CT _____ 49

Penicillin G Potassium, Crystalline, 5000 units,
Troches—

Calcium, 1000 units '46

Pentacresol Instrument Disinfecting—

Pentacresol Lubricating Jelly—

Pepsin Compound, N.F.—

Peptonate Iron and Manganese—

Pertussis, Double Strength—

Pertussis--Diphtheria Toxoid, Combined,
Alum Precipitated—

Phenacaine and Epinephrine—

Phenacaine (Holocaine) Hydrochloride, 2%, with
Mercarbolid—

Phenacarbonate—

Phenacetin, 5 grs.—

Phenobarbital, 1/8 gr., white—

Phenobarbital, 1/4 gr., white—

Green '33

Phenobarbital, 1/2 gr., white—

Green '33

Phenobarbital, 1/2 gr., white or green—

Phenobarbital, 1 1/2 grs., white—

Green '33

Phenobarbital, 1/2 gr., Abergie, white—

Phenobarbital, U.S.P.—

Phenobarbital (Nonofficial)—

Phenobarbital and Belladonna, No. 1—

Phenobarbital and Belladonna, No. 2—

Phenolax Powder, Granular—

Phenolax Wafers—

Phenol-Tannin Compound—

Phospho-Glycerin Compound—

Physiological Salt—

Pituitary Extract, Double Strength—

Polysulfides Compound (Upjohn)—

Posterior Pituitary Injection—

Potassium Permanganate, 5 grs.—

Out '00-'36

Other sizes continous

Powder Papers—

FW—48

Solu—42

Oint—36

Elix—39

Solu—00

Vaccine—45

Vaccine—48

O Oint—31

O Oint—46

ET—37

CT—00

TT—39

TT—31

TT—31

CT—39

CT—31

CT—49

Elix—31

Elix—44

CT—42

CT—46

Powder—10

FW—08

Oint—16

Fluid—02

SS—44

SS—22

Oint—25

SS—17

CT—00

Misc.—14

Procaine Hydrochloride, 2% _____
 Procaine Hydrochloride, 2%, with Epinephrine _____
 Procaine Hydrochloride, 0.02 Gm. (1/3 gr.) with
 Epinephrine, 0.025 mg. (1/2500 gr.) _____
 Progesterone, 1 mg. per cc. _____
 Progesterone, 5 mg. per cc. _____
 Progesterone, 10 mg. per cc. _____
 Progesterone, 25 mg. per cc. _____
 Progesterone, 20 mg. _____
 Prohydrion _____
 Propylthiouracil, 50 mg. _____
 Pyridoxine Hydrochloride, 50 mg. _____
 Pyridoxine Hydrochloride, 100 mg. per cc. _____
 Pyridoxine Hydrochloride, 10 mg. _____
 Pyridoxine Hydrochloride, 50 mg. _____
 Pyrrolazote _____
 Pyrrolazote, white, 25 mg. _____
 Pyrrolazote, white, 50 mg. _____
 Pyroxate _____

Quinine Sulfate, 3 grs., natural _____
 Quinine Sulfate, 5 grs., natural _____
 Quinine Sulfate, 2 grs., pink _____
 Quinine Sulfate, 3 grs., brown _____
 Quinine Sulfate, 5 grs., brown _____
 Other dosages '95 _____
 Quinine and Urea Hydrochloride, 5%, with Procaine
 Hydrochloride, 2% _____

SS _____ 33
 SS _____ 25
 HT _____ 22
 SS _____ 39
 SS _____ 41
 SS _____ 44
 SAS _____ 49
 CT _____ 49
 CT _____ 42
 CT _____ 46
 SS _____ 41
 SS _____ 46
 CT _____ 42
 CT _____ 47
 Elix _____ 49
 CCT _____ 49
 CCT _____ 49
 HFC _____ 50

HFC _____ 33
 HFC _____ 33
 CCT _____ 00
 CCT _____ 00
 CCT _____ 00
 SS _____ 33

Racephedrine Hydrochloride (Upjohn), 3/8 gr. _____
 Racephedrine Hydrochloride (Upjohn) _____
 Racephedrine Hydrochloride (Upjohn), 1%, in Ringer's
 Solution _____

Rhubarb and Soda Mixture, N.F. _____
 Riboflavin, 5 mg. _____
 Ringer's Solution _____
 Rutin and Ascorbic Acid _____

Saccharin, Soluble, 1/4 gr. _____
 Saccharin, Soluble, 1/2 gr. _____
 Saccharin, Soluble, 1 gr. _____
 Salicionyl _____

Salioresin Cream _____
 Salioresin Fluid _____

Salicyl and Phenacetin, aromatic _____
 Salicyl and Phenacetin Compound for Children _____

Salicylic Acid and Gelsemium Compound _____
 Santonin and Calomel, RxC _____

Other dosage '93

Santonin, Soda and Cascara Compound _____
 Saw Palmetto, Santal and Corn Silk, No. 2 _____

Scopolamine (Hyoscine) Hydrobromide, 1/100 gr. _____
 Six Hypophosphites, clear _____

Soda Mint, 5 grs. _____
 Sodium Bicarbonate, 5 grs., white _____

Pink '15

Sodium Bicarbonate, 10 grs., white _____
 Pink '22

Sodium Bismuthyl Citrate _____
 Sodium Bromide, N.F. _____

Sodium Cacodylate, 0.2 Gm. (3 grs.) _____
 Sodium Cacodylate, 0.32 Gm. (5 grs.) _____

Sodium Cacodylate, 0.45 Gm. (7 grs.) _____

HFC _____ 42
 Powder _____ 42

Fluid _____ 42
 Mixture _____ 36

CT _____ 44
 IS _____ 38

CT _____ 47

CT _____ 29

CT _____ 01

CT _____ 01

GES _____ 28

Oint _____ 46

Fluid _____ 46

CT _____ 37

CT _____ 31

Elix _____ 42

TT _____ 00

Syr _____ 08

Elix _____ 42

HT _____ 93

Syr _____ 99

CT _____ 97

CT _____ 00

CT _____ 00

SS _____ 39

Elix _____ 99

SS _____ 17

SS _____ 17

SS _____ 17

Sodium Cacodylate, 0.45 Gm. (7 grs.)
 Sodium Cacodylate, 0.97 Gm. (15 grs.)
 Sodium Cacodylate, 1 Gm. (15½ grs.)
 Sodium Chloride and Dextrose
 Sodium Citrate, 2½% w/v
 Sodium Iodide, 1 Gm. (15½ grs.)
 Sodium Iodide, 2 Gm. (31 grs.)
 Sodium Lactate (1.87% w/v) (Racemic) 1/6 Molar in
 Water for Injection
 Sodium Morrhuate, 5%, with Benzyl Alcohol, 2%
 Sodium Nicotinate, 140 mg. per 10 cc.
 Sodium Nicotinate, 140 mg. per cc.
 Sodium Nitrite, 1 gr.
 Sodium Phosphate, N.F.
 Sodium Phosphate, U.S.P.
 Sodium Salicylate, 1 Gm. (15½ grs.)
 Sodium Salicylate, 2 Gm. (31 grs.)
 Sodium Salicylate, 5 grs.
 Sodium Salicylate, 5 grs., aromatic, pink
 Sodium Salicylate, 10 grs.
 Sodium Salicylate, 5 grs.
 Sodium Salicylate, 10 grs.
 Sodium Salicylate and Iodide
 Sodium Salicylate and Iodide with Colchicine, No. 1-
 Sodium Salicylate and Iodide with Colchicine, No. 2-
 Sodium Sulfadiazine, 25% w/v (2.5 Gm.)
 Solidified Liniment
 Solu-B, plain
 Solu-B, with injectable sterile water
 Solu-B, with Ascorbic Acid
 Solu-B, 5X, Plain
 Solu-B, 5X, with Injectable Sterile Water
 Solulexin
 Solulexin, 10-Unit Folic
 Solu-Zyme
 Somagen
 Somagen, Solubilized
 Special Formula, No. 1, natural
 Special Formula, No. 1
 Special Formula, No. 2, red
 Special Formula, No. 2, red

SS 23
 SS 18
 SS 25
 CT 39
 SS 35
 SS 25
 SS 23
 IS 41
 SS 36
 SS 46
 SS 49
 TT 16
 Solu 00
 GES 02
 SS 25
 SS 25
 CT 00
 CT 07
 CT 39
 ICT 37
 ICT 44
 SS 23
 SS 26
 SS 30
 SS 44
 Oint 14
 S.Po. 43
 S.Po. 43
 S.Po. 46
 Sterile 46
 Sterile 46
 Sterile 46
 Sterile 47
 Sterile 49
 Granules 49
 Powder 49
 HFC 33
 CT 28
 HFC 33
 CCT 15

Stilestrate	_____
Stimulating	_____
Streptomycin, 1 Gm.	_____
Streptomycin, 10 Gm.	_____
Stroncyate, gray	_____
Strychnine Sulfate, 1/60 gr.	_____
Strychnine Sulfate, 1/30 gr.	_____
Sugracillin, 1,200,000 units	_____
Sulfadiazine, 5%	_____
Sulfadiazine, 7.7 grs. (0.5 Gm.)	_____
Sulfadiazine, 7.7 grs. (0.5 Gm.), Abergic	_____
Sulfadiazine and Sodium Bicarbonate	_____
Sulfamerazine, 7.7 grs. (0.5 Gm.)	_____
Sulfanilamide, Envelopes, 5 Gm. (Shaker-type)	_____
Sulfanilamide, Bellopac, 5 Gm. (Bellows box)	_____
Sulfathiazole Cream, 5%, (Water-miscible base)	_____
Sulfathiazole Cream, 10%, (Water-miscible base)	_____
Sulfathiazole Cream, 20%, (Water-miscible base)	_____
Sulfathiazole, 5%	_____
Sulfathiazole, 5%	_____
Sulfathiazole	_____
Sulfathiazole, 3.85 grs. (0.25 Gm.)	_____
Sulfathiazole, 7.7 grs. (0.5 Gm.)	_____
Sulfathiazole and Beta-lactose	_____
Sulfathiazole, 3%, with Epinephrine, 1:8000	_____
Sulfur, U.S.P.	_____
Sulfur 15%--'31	_____
Sulfur Compound--'05	_____
Super A Vitamin Concentrate, 25,000 U.S.P. units	_____
Vitamin A per capsule	_____
Super A Vitamin Concentrate, 50,000 U.S.P. units	_____
Vitamin A per capsule	_____
Super A Vitamin Concentrate, 100,000 U.S.P. units	_____
Vitamin A per capsule	_____
Super A Vitamin Concentrate, Fluid	_____
Super D Cod Liver Oil	_____
Super D Concentrate	_____
Super D Perles	_____

SEC	_____48
Liniment	_____14
S.Po.	_____46
S.Po.	_____47
Pills	_____14
TT	_____93
TT	_____93
Granule	_____49
O Oint	_____46
CT	_____42
CT	_____49
CT	_____44
CT	_____44
S.Po.	_____42
S.Po.	_____44
Oint	_____46
Oint	_____44
Oint	_____44
Oint	_____44
O Oint	_____44
S.Po.	_____44
CT	_____42
CT	_____42
CT	_____46
O Oint	_____46
Oint	_____39
SEC	_____42
SEC	_____42
SEC	_____49
Fluid	_____42
Fluid	_____29
Fluid	_____33
SEC	_____33

Tanicaïne	Oint	33
Tanicaïne	Supp	33
Tanipaste	Oint	36
Taralba B	Oint	29
Taralba C	Oint	29
Teleostol Drops	Fluid	42
Terpin Hydrate, N.F.	Elix	20
Out '21-'35		
Terpin Hydrate, Ammonium Chloride and Codeine Compound	FW	15
Terpin Hydrate and Codeine, N.F.	Elix	00
Terpin Hydrate and Codeine Sulfate	Elix	36
Terpin Hydrate and Creosote Compound	Elix	36
Testosterone, 25 mg.	SAS	48
Testosterone Propionate, 10 mg. per cc.	SS	49
Testosterone Propionate, 25 mg. per cc.	SS	49
Testosterone Propionate, 50 mg. per cc.	SS	49
Theobromine-Phenobarbital Compound	CT	37
Theobromine-Phenobarbital (Plain)	CT	37
Theophylline, 0.3 Gm., Juvenile size	Supp	48
Theophylline, 0.6 Gm., Adult size	Supp	48
Theophylline, 0.3 Gm., with Cyclopal, 0.05 Gm.		
Juvenile size	Supp	48
Theophylline, 0.6 Gm., with Cyclopal, 0.1 Gm.		
Adult size	Supp	48
Theophylline with Sodium Acetate, 3 grs.	ICT	42
Thiamine Hydrochloride	Elix	42
Thiamine Hydrochloride, 3 Gm.	S.Po.	47
Thiamine Hydrochloride, 10 mg. per cc.	SS	38
Thiamine Hydrochloride, 50 mg. per cc.	SS	42
Thiamine Hydrochloride, 100 mg. per cc.	SS	41
Thiamine Hydrochloride, 1 mg.	CT	39
Thiamine Hydrochloride, 3 mg.	CT	39
Thiamine Hydrochloride, 5 mg.	CT	39
Thiamine Hydrochloride, 10 mg.	CT	42
Thiamine Hydrochloride, 25 mg.	CT	46
Thiamine Hydrochloride, 50 mg.	CT	46
Three Bromides, N.F.	Elix	39
Same title '36		

Three Sulfonamides _____
 Thrombin, 1000 Units _____
 Thyroid, 1/2 gr. _____
 Thyroid, 1 gr. _____
 Thyroid, 2 grs. _____
 Thyroid, 1 gr., Abergie _____
 Thyroid, 1 gr. _____
 Thyroid B Compound _____
 Tolu Balsam, U.S.P. _____
 Torulexin, black _____
 Triple Bromides, No. 2 _____
 d-Tubocurarine Chloride, 20 Units per cc _____

Unicap Vitamins _____
 Urestrin, 1,000 International units, yellow _____
 Urestrin, 2,000 International units, natural _____
 Urestrin, 4,000 International units, red-orange _____
 Urestrin, 10,000 International units, magenta red _____
 Urestrin _____
 Urestrin, 2,000 International units per cc _____
 Urestrin, 10,000 International units per cc _____
 Urestrin, 20,000 International units per cc _____
 Urestrin, 2 mg. per cc _____
 Urestrin and Vitamin B _____

Vanilla and Vanillin Compound _____
 Verdantol _____
 Vitamin B Complex _____
 Vitamin B Complex, yellow _____
 Vitamin E Concentrate, 50 mg. _____
 Vitamin E Concentrate, 100 mg. _____

CT _____ 49
 S.Po. _____ 46
 CT _____ 37
 CT _____ 14
 CT _____ 14
 CT _____ 49
 ICT _____ 37
 CT _____ 49
 Syr _____ 99
 HFC _____ 42
 CT _____ 00
 SS _____ 49

SEC _____ 42
 SEC _____ 42
 SEC _____ 42
 SEC _____ 44
 SEC _____ 48
 Elix _____ 44
 SS _____ 40
 SS _____ 40
 SS _____ 41
 SAS _____ 47
 Syr _____ 48

Fluid _____ 36
 Oint _____ 33
 HFC _____ 42
 CCT _____ 46
 SEC _____ 50
 SEC _____ 44

Vitikon _____
Vitrata _____

Syr _____ 44
Fluid _____ 36

Water for Injection _____
Water for Injection, Sterile _____
Wheat Germ Oil _____
White Pine Compound, N.F. _____
White Pine Compound, N.F., Mentholated _____
White Pine Compound, N.F., with Morphine _____
White Pine Compound, N.F., with Tar _____
Whitfield's, N.F. _____
Wild Cherry, U.S.P. _____

SS _____ 25
IS _____ 41
Fluid _____ 42
Syr _____ 99
Syr _____ 20
Syr _____ 99
Syr _____ 99
Oint _____ 44
Syr _____ 99

Yeast Tablets _____

CT _____ 37

Zantrate, Abergic _____
Zinc Oxide, U.S.P. _____
Zinc Sulfide Compound _____
Zinc Sulfide Compound, Improved _____
Zylate _____

CT _____ 46
Oint _____ 05
Lotion _____ 16
Lotion _____ 37
Fluid _____ 44

Zylate Emulsion _____
 Zymacap _____
 Zymacap with Folic Acid _____
 Zymadrops _____
 Zymafolic _____
 Zymatinic Drops _____

Fluid _____ 49
 SEC _____ 48
 SEC _____ 49
 Fluid _____ 48
 HFC _____ 48
 Fluid _____ 50

Aspirin, Phenacetin and Caffeine, orange _____
 Balm Asafetida Compound _____
 Bile Salts-Phenolphthalein Compound, red _____
 Boxes, Dandy Pill Boxes _____
 Boxes, Folding Tablet Boxes _____
 No. 2, medium size
 No. 3, large size
 Boxes, Telescope Boxes _____
 Out '15--'43
 Drug Envelopes _____
 Out '15--'43
 Label Books, Rococco _____
 No. 1
 No. 2
 Physician's Case _____
 Physician's Case Vials (Empty) _____
 Special Formula 21300, light green _____
 Tonga-Salicylate Compound _____
 Special Cough Formula (Red), S.F. 17750 _____
 Special Cough Formula (Yellow), S.F. 17600 _____
 Special Cough Formula (Orange) with Codeine,
 S.F. 17820 _____
 Special Formula 17825 _____

CT _____ 44U
 Oint _____ 16U
 CCT _____ 44U
 Misc. _____ 14U
 Misc. _____ 14U

 Misc. _____ 14U
 Misc. _____ 14U
 Misc. _____ 44U

 Supply -89U
 Supply _____ 14U
 Pills 06 _____
 Fluid _____ 42U
 Syr _____ 20U
 Fluid _____ 33U

 Fluid _____ 48U
 Fluid _____ 42U

Special, RxA _____
Vitamin A and D Concentrates, No. 2 _____

GES _____ 42
SEC _____ 42

